

price list

digital indicators & controllers

Effective September 1, 2013



Explosion-Proof Line-Powered Meters

| | |
|---|---|
| PD8-154 ProtEX-MAX Explosion-Proof 4-Point Alarm Annunciator..... | 3 |
| PD8-158 ProtEX-MAX Explosion-Proof 8-Point Alarm Annunciator..... | 3 |
| PD8-765 ProtEX-MAX Explosion-Proof Process & Temperature Meter..... | 3 |
| PD8-6000 ProtEX-MAX Explosion-Proof Process Meter..... | 3 |
| PD8-6060 ProtEX-MAX Explosion-Proof Dual-Input Process Meter..... | 3 |
| PD8-6080 ProtEX-MAX Ex-Proof SS Modbus & Analog Dual-Input Scanner..... | 4 |
| PD8-6081 ProtEX-MAX Ex-Proof F&I SS Modbus & Analog Dual-Input Scanner..... | 4 |
| PD8-6100 ProtEX-MAX Explosion-Proof Strain Gauge Meter..... | 4 |
| PD8-6200 ProtEX-MAX Explosion-Proof Analog Input Flow Rate/Totalizer..... | 4 |
| PD8-6210 ProtEX-MAX Explosion-Proof Analog Input Batch Controller..... | 5 |
| PD8-6262 ProtEX-MAX Explosion-Proof Analog Dual-Input Flow Rate/Totalizer..... | 5 |
| PD8-6300 ProtEX-MAX Explosion-Proof Pulse Input Flow Rate/Totalizer..... | 5 |
| PD8-6310 ProtEX-MAX Explosion-Proof Pulse Input Batch Controller..... | 5 |
| PD8-6363 ProtEX-MAX Explosion-Proof Pulse Dual-Input Flow Rate/Totalizer..... | 6 |
| PD8-7000 ProtEX-MAX Explosion-Proof Temperature Meter..... | 6 |

Annunciators & Scanners

| | |
|---|---|
| PD138 Minimax® II Temperature & Process Scanner..... | 6 |
| PD154 Vigilante® II 4-Point Alarm Annunciator..... | 6 |
| PD158 Vigilante® II 8-Point Alarm Annunciator..... | 6 |
| PDS178 Watchdog Temperature Scanning System..... | 6 |

Digital Pressure Gauges

| | |
|--|---|
| PD205 General Purpose Digital Pressure Gauge..... | 7 |
| PD206 General Purpose Digital Pressure Gauge..... | 7 |
| PD213 Industrial Digital Pressure Gauge..... | 7 |
| PD214 Industrial Digital Pressure Gauge..... | 7 |
| PD224 Industrial Digital Pressure Gauge..... | 8 |
| PD233 Test Digital Pressure Gauge..... | 8 |
| PD243 Test Digital Pressure Gauge..... | 8 |
| PD253 Test Digital Pressure Gauge..... | 8 |
| Pressure Gauge Accessories..... | 9 |

Meters & Controllers

| | |
|--|----|
| PD540 Nova Digital PID Controllers..... | 9 |
| PD541 Nova Digital PID Controllers..... | 9 |
| PD542 Nova Digital PID Controllers..... | 9 |
| PD543 Nova Digital PID Controllers..... | 9 |
| PD544 Nova Digital PID Controllers..... | 9 |
| PD545 Nova Digital PID Controllers..... | 9 |
| PD546 Nova Digital PID Controllers..... | 9 |
| PD547 Nova Digital PID Controllers..... | 9 |
| PD548 Nova Digital PID Controllers..... | 9 |
| PD549 Nova Digital PID Controllers..... | 9 |
| PD550 Nova Ramp & Soak Controllers..... | 10 |
| PD554 Nova Ramp & Soak Controllers..... | 10 |
| PD556 Nova Ramp & Soak Controllers..... | 10 |
| PD558 Nova Ramp & Soak Controllers..... | 10 |
| PD562 Nova Digital Meters..... | 10 |
| PD568 Nova Digital Meters..... | 10 |
| PD570 Nova Limit Controllers..... | 10 |
| PD578 Nova Limit Controllers..... | 10 |
| PD603 Sabre P Low-Cost Process Meter..... | 10 |
| PD644 Javelin D High-Voltage DC Meter..... | 10 |
| PD650 2.3" Large Display Process Meter..... | 11 |
| PD655 1.0" Large Display Process Meter..... | 11 |
| PD662 Survivor Loop-Powered Meter..... | 11 |
| PD663 ProtEX-Lite Process Meter..... | 11 |
| PD675 Loop-Powered Meter..... | 11 |
| PD683 Loop Leader® Loop-Powered Meter..... | 11 |
| PD684 Loop Leader® Loop-Powered Rate/Totalizer..... | 11 |
| PD685 Loop-Powered Meter..... | 11 |
| PD686 Loop-Powered Meter..... | 12 |
| PD688 Loop Leader® Loop-Powered Meter..... | 12 |
| PD689 Loop Leader® Loop-Powered Rate/Totalizer..... | 12 |
| PD743 Sabre T Low-Cost Temperature Meter..... | 12 |
| PD765 Trident Process & Temperature Meter..... | 12 |
| PD765 Trident X2 Process & Temperature Meter..... | 12 |

Meters & Controllers (Continued)

| | |
|---|----|
| PD865 Snooper Modbus® Serial Input Meter..... | 12 |
| PD900 Series ConsoliDator® Multi-Channel Controllers..... | 12 |
| PD6000 ProVu® Process Meter..... | 13 |
| PD6060 ProVu® Dual-Input Process Meter..... | 13 |
| PD6080 ProVu® Super Snooper Modbus® Input Scanner..... | 14 |
| PD6081 ProVu® Feet & Inches Super Snooper Modbus® Input Scanner..... | 14 |
| PD6088 ProVu® Super Snooper Modbus® Input Scanner..... | 14 |
| PD6089 ProVu® Feet & Inches Super Snooper Modbus® Input Scanner..... | 14 |
| PD6100 ProVu® Strain Gauge Meter..... | 15 |
| PD6200 ProVu® Analog Input Flow Rate/Totalizer..... | 15 |
| PD6210 ProVu® Analog Input Batch Controller..... | 16 |
| PD6262 ProVu® Analog Dual-Input Flow Rate/Totalizer..... | 16 |
| PD6300 ProVu® Pulse Input Flow Rate/Totalizer..... | 17 |
| PD6310 ProVu® Pulse Input Batch Controller..... | 17 |
| PD6363 ProVu® Pulse Dual-Input Flow Rate/Totalizer..... | 18 |
| PD6700 VantageView Process Meter..... | 18 |
| PD6701 VantageView Feet & Inches Meter..... | 18 |
| PD6720 VantageView Analog Input Rate/Totalizer..... | 18 |
| PD6770 VantageView Process Meter..... | 18 |
| PD6730 VantageView Pulse Input Rate/Totalizer..... | 19 |
| PD6730X VantageView Feet & Inches Super Snooper Modbus® Input Scanner..... | 19 |
| PD6730X VantageView Super Snooper Modbus® Input Scanner..... | 19 |
| PD6800 ProtEX-Pro Process Meter..... | 19 |
| PD6801 ProtEX-F&I Feet & Inches Level Meter..... | 19 |
| PD6820 ProtEX-RTA Analog Input Rate/Totalizer..... | 19 |
| PD6830 ProtEX-RTP Pulse Input Rate/Totalizer..... | 21 |
| PD6830X ProtEX-MFI Feet & Inches Super Snooper Modbus® Input Scanner..... | 21 |
| PD6830X ProtEX-MS2 Super Snooper Modbus® Input Scanner..... | 21 |
| PD6870 ProtEX-FarVu Process Meter..... | 21 |
| PD7000 ProVu® Temperature Meter..... | 22 |
| PD9500 Precision Calibrator..... | 22 |

Enclosures

| | |
|---|----|
| PDA2300 Series Economical NEMA 4X Enclosures..... | 22 |
| PDA2400 Series NEMA 4X Enclosures..... | 22 |
| PDA2440 Series Explosion-Proof Enclosures..... | 23 |
| PDA2500 Series Rugged NEMA 4X Enclosures..... | 23 |
| PDA2600 Series Stainless Steel NEMA 4X Enclosures..... | 24 |
| PDA2700 Series Steel NEMA 4 Enclosures..... | 24 |
| PDA2800 Series Low-Cost NEMA 4X Enclosures..... | 24 |
| Control Stations for Explosion-Proof Enclosures..... | 24 |
| Sub-Panels for Enclosures..... | 24 |

ProtEX Series Accessories

| | |
|--|----|
| Accessories for PD663, PD6800, PD6820, PD6830, PD6830X and PD6870..... | 25 |
|--|----|

ConsoliDator® Accessories

| | |
|--------------------------------|----|
| ConsoliDator® Accessories..... | 25 |
|--------------------------------|----|

Accessories for Panel Meters

| | |
|--------------------------------------|----|
| Serial Communication Converters..... | 25 |
| ProVu® Series Accessories..... | 25 |
| Trident Accessories..... | 26 |

Mounting Accessories

| | |
|-----------------------------|----|
| 2" Pipe Mounting Kit..... | 26 |
| Panel Mounting Kits..... | 26 |
| Additional Accessories..... | 26 |

Services

| | |
|---|----|
| Calibration Services..... | 26 |
| Certificates of Conformance & Setup Services..... | 26 |
| Repair Services..... | 26 |
| Expediting Services..... | 26 |
| Printed Instruction Manuals..... | 26 |

Disclaimer

The information contained in this document is subject to change and correction without notice. Precision Digital Corporation makes no representations or warranties with respect to the contents hereof, and specifically disclaims any implied warranties of merchantability or fitness for a particular purpose.

© 2013 Precision Digital Corporation. All rights reserved.

Explosion-Proof Line-Powered Meters



PD8-154
ProtEX-MAX Explosion-Proof
4-Point Alarm Annunciator
Input: NO or NC switches, Open collector
transistor, & Logic Levels

| Model | Price | Description | Power |
|---------------|---------|---------------------------|------------|
| PD8-154-6R2-1 | \$1,408 | 4-Point Alarm Annunciator | 85-265 VAC |
| PD8-154-7R2-0 | \$1,513 | 4-Point Alarm Annunciator | 12-36 VDC |



PD8-158
ProtEX-MAX Explosion-Proof
8-Point Alarm Annunciator
Input: NO or NC switches, Open collector
transistor, & Logic Levels

| Model | Price | Description | Power |
|---------------|---------|---------------------------|------------|
| PD8-158-6R2-1 | \$1,513 | 8-Point Alarm Annunciator | 85-265 VAC |
| PD8-158-7R2-0 | \$1,618 | 8-Point Alarm Annunciator | 12-36 VDC |



PD8-765
ProtEX-MAX Explosion-Proof
Process & Temperature Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5,
1-5, 0-10 V); TC & RTD

| Model | Price | Options Installed | Power |
|----------------|---------|--|------------|
| PD8-765-6X0-00 | \$1,418 | None | 85-265 VAC |
| PD8-765-6X0-10 | \$1,458 | 24 VDC Supply | 85-265 VAC |
| PD8-765-6X2-00 | \$1,478 | 2 Relays | 85-265 VAC |
| PD8-765-6X2-10 | \$1,518 | 2 Relays + 24 VDC Supply | 85-265 VAC |
| PD8-765-6X3-00 | \$1,508 | 4-20 mA Output | 85-265 VAC |
| PD8-765-6X3-10 | \$1,528 | 4-20 mA Out + 24 VDC Supply | 85-265 VAC |
| PD8-765-6X3-20 | \$1,613 | 4-20 mA Out + Dual 24 VDC Supplies | 85-265 VAC |
| PD8-765-6X5-10 | \$1,548 | 2 Relays + 4-20 mA Output + 24 VDC Supply | 85-265 VAC |
| PD8-765-7X0-00 | \$1,468 | None | 12-36 VDC |
| PD8-765-7X2-00 | \$1,528 | 2 Relays | 12-36 VDC |
| PD8-765-7X3-00 | \$1,538 | 4-20 mA Output | 12-36 VDC |
| PD8-765-7X5-00 | \$1,558 | 2 Relays + 4-20 mA Output | 12-36 VDC |



PD8-6000
ProtEX-MAX Explosion-Proof
Process Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5,
1-5, 0-10 V)

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6000-6H0 | \$1,498 | None | 85-265 VAC |
| PD8-6000-6H2 | \$1,543 | 2 Relays | 85-265 VAC |
| PD8-6000-6H3 | \$1,563 | 4-20 mA Output | 85-265 VAC |
| PD8-6000-6H4 | \$1,583 | 4 Relays | 85-265 VAC |
| PD8-6000-6H5 | \$1,603 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6000-6H7 | \$1,643 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6000-7H0 | \$1,563 | None | 12/24 VDC |
| PD8-6000-7H2 | \$1,603 | 2 Relays | 12/24 VDC |
| PD8-6000-7H3 | \$1,623 | 4-20 mA Output | 12/24 VDC |
| PD8-6000-7H4 | \$1,643 | 4 Relays | 12/24 VDC |
| PD8-6000-7H5 | \$1,668 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6000-7H7 | \$1,708 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6060
ProtEX-MAX Explosion-Proof
Dual-Input Process Meter
Input: Dual 0-20 mA, 4-20 mA;
±10 VDC (0-5, 1-5, 0-10 V)

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6060-6H0 | \$1,618 | None | 85-265 VAC |
| PD8-6060-6H2 | \$1,663 | 2 Relays | 85-265 VAC |
| PD8-6060-6H3 | \$1,683 | 4-20 mA Output | 85-265 VAC |
| PD8-6060-6H4 | \$1,703 | 4 Relays | 85-265 VAC |
| PD8-6060-6H5 | \$1,723 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6060-6H7 | \$1,763 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6060-7H0 | \$1,683 | None | 12/24 VDC |
| PD8-6060-7H2 | \$1,723 | 2 Relays | 12/24 VDC |
| PD8-6060-7H3 | \$1,743 | 4-20 mA Output | 12/24 VDC |
| PD8-6060-7H4 | \$1,763 | 4 Relays | 12/24 VDC |
| PD8-6060-7H5 | \$1,788 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6060-7H7 | \$1,828 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6080

ProtEX-MAX Explosion-Proof Super Snooper Modbus & Analog Dual-Input Scanner
 Input: RS-485 Modbus® RTU; Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD8-6100

ProtEX-MAX Explosion-Proof Strain Gauge Meter
 Input: 0-10, 0-20, ±10, ±20, ±100, ±200 mV

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6080-6H0 | \$1,698 | None | 85-265 VAC |
| PD8-6080-6H2 | \$1,743 | 2 Relays | 85-265 VAC |
| PD8-6080-6H3 | \$1,763 | 4-20 mA Output | 85-265 VAC |
| PD8-6080-6H4 | \$1,783 | 4 Relays | 85-265 VAC |
| PD8-6080-6H5 | \$1,803 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6080-6H7 | \$1,843 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6080-7H0 | \$1,763 | None | 12/24 VDC |
| PD8-6080-7H2 | \$1,803 | 2 Relays | 12/24 VDC |
| PD8-6080-7H3 | \$1,823 | 4-20 mA Output | 12/24 VDC |
| PD8-6080-7H4 | \$1,843 | 4 Relays | 12/24 VDC |
| PD8-6080-7H5 | \$1,868 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6080-7H7 | \$1,908 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6100-6H0 | \$1,548 | None | 85-265 VAC |
| PD8-6100-6H2 | \$1,593 | 2 Relays | 85-265 VAC |
| PD8-6100-6H3 | \$1,613 | 4-20 mA Output | 85-265 VAC |
| PD8-6100-6H4 | \$1,633 | 4 Relays | 85-265 VAC |
| PD8-6100-6H5 | \$1,653 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6100-6H7 | \$1,693 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6100-7H0 | \$1,613 | None | 12/24 VDC |
| PD8-6100-7H2 | \$1,653 | 2 Relays | 12/24 VDC |
| PD8-6100-7H3 | \$1,673 | 4-20 mA Output | 12/24 VDC |
| PD8-6100-7H4 | \$1,693 | 4 Relays | 12/24 VDC |
| PD8-6100-7H5 | \$1,718 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6100-7H7 | \$1,758 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6081

ProtEX-MAX Explosion-Proof Feet & Inches Super Snooper Modbus & Analog Dual-Input Scanner
 Input: RS-485 Modbus® RTU; Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD8-6200

ProtEX-MAX Explosion-Proof Analog Input Flow Rate/Totalizer
 Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6081-6H0 | \$1,773 | None | 85-265 VAC |
| PD8-6081-6H2 | \$1,818 | 2 Relays | 85-265 VAC |
| PD8-6081-6H3 | \$1,838 | 4-20 mA Output | 85-265 VAC |
| PD8-6081-6H4 | \$1,858 | 4 Relays | 85-265 VAC |
| PD8-6081-6H5 | \$1,878 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6081-6H7 | \$1,918 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6081-7H0 | \$1,838 | None | 12/24 VDC |
| PD8-6081-7H2 | \$1,878 | 2 Relays | 12/24 VDC |
| PD8-6081-7H3 | \$1,898 | 4-20 mA Output | 12/24 VDC |
| PD8-6081-7H4 | \$1,918 | 4 Relays | 12/24 VDC |
| PD8-6081-7H5 | \$1,943 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6081-7H7 | \$1,983 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6200-6H0 | \$1,528 | None | 85-265 VAC |
| PD8-6200-6H2 | \$1,573 | 2 Relays | 85-265 VAC |
| PD8-6200-6H3 | \$1,593 | 4-20 mA Output | 85-265 VAC |
| PD8-6200-6H4 | \$1,613 | 4 Relays | 85-265 VAC |
| PD8-6200-6H5 | \$1,633 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6200-6H7 | \$1,678 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6200-7H0 | \$1,593 | None | 12/24 VDC |
| PD8-6200-7H2 | \$1,633 | 2 Relays | 12/24 VDC |
| PD8-6200-7H3 | \$1,653 | 4-20 mA Output | 12/24 VDC |
| PD8-6200-7H4 | \$1,678 | 4 Relays | 12/24 VDC |
| PD8-6200-7H5 | \$1,698 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6200-7H7 | \$1,738 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6210
ProtEX-MAX Explosion-Proof
Analog Input Batch Controller
Input: 0-20 mA, 4-20 mA; ± 10 VDC (0-5, 1-5, 0-10 V)



PD8-6300
ProtEX-MAX Explosion-Proof
Pulse Input Flow Rate/Totalizer
Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6210-6H2 | \$1,673 | 2 Relays | 85-265 VAC |
| PD8-6210-6H4 | \$1,713 | 4 Relays | 85-265 VAC |
| PD8-6210-6H5 | \$1,733 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6210-6H7 | \$1,778 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6210-7H2 | \$1,733 | 2 Relays | 12/24 VDC |
| PD8-6210-7H4 | \$1,778 | 4 Relays | 12/24 VDC |
| PD8-6210-7H5 | \$1,798 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6210-7H7 | \$1,838 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6300-6H0 | \$1,528 | None | 85-265 VAC |
| PD8-6300-6H2 | \$1,573 | 2 Relays | 85-265 VAC |
| PD8-6300-6H3 | \$1,593 | 4-20 mA Output | 85-265 VAC |
| PD8-6300-6H4 | \$1,613 | 4 Relays | 85-265 VAC |
| PD8-6300-6H5 | \$1,633 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6300-6H7 | \$1,678 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6300-7H0 | \$1,593 | None | 12/24 VDC |
| PD8-6300-7H2 | \$1,633 | 2 Relays | 12/24 VDC |
| PD8-6300-7H3 | \$1,653 | 4-20 mA Output | 12/24 VDC |
| PD8-6300-7H4 | \$1,678 | 4 Relays | 12/24 VDC |
| PD8-6300-7H5 | \$1,698 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6300-7H7 | \$1,738 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6262
ProtEX-MAX Explosion-Proof
Analog Dual-Input Flow Rate/Totalizer
Input: Dual 0-20 mA, 4-20 mA; ± 10 VDC (0-5, 1-5, 0-10 V)

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6262-6H0 | \$1,728 | None | 85-265 VAC |
| PD8-6262-6H2 | \$1,773 | 2 Relays | 85-265 VAC |
| PD8-6262-6H3 | \$1,793 | 4-20 mA Output | 85-265 VAC |
| PD8-6262-6H4 | \$1,813 | 4 Relays | 85-265 VAC |
| PD8-6262-6H5 | \$1,833 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6262-6H7 | \$1,878 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6262-7H0 | \$1,793 | None | 12/24 VDC |
| PD8-6262-7H2 | \$1,833 | 2 Relays | 12/24 VDC |
| PD8-6262-7H3 | \$1,853 | 4-20 mA Output | 12/24 VDC |
| PD8-6262-7H4 | \$1,878 | 4 Relays | 12/24 VDC |
| PD8-6262-7H5 | \$1,898 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6262-7H7 | \$1,938 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD8-6310
ProtEX-MAX Explosion-Proof
Pulse Input Batch Controller
Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6310-6H2 | \$1,673 | 2 Relays | 85-265 VAC |
| PD8-6310-6H4 | \$1,713 | 4 Relays | 85-265 VAC |
| PD8-6310-6H5 | \$1,733 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6310-6H7 | \$1,778 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6310-7H2 | \$1,733 | 2 Relays | 12/24 VDC |
| PD8-6310-7H4 | \$1,778 | 4 Relays | 12/24 VDC |
| PD8-6310-7H5 | \$1,798 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6310-7H7 | \$1,838 | 4 Relays & 4-20 mA Output | 12/24 VDC |

**PD8-6363**

ProtEX-MAX Explosion-Proof Pulse Dual-Input Flow Rate/Totalizer
Input: Dual Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-6363-6H0 | \$1,728 | None | 85-265 VAC |
| PD8-6363-6H2 | \$1,773 | 2 Relays | 85-265 VAC |
| PD8-6363-6H3 | \$1,793 | 4-20 mA Output | 85-265 VAC |
| PD8-6363-6H4 | \$1,813 | 4 Relays | 85-265 VAC |
| PD8-6363-6H5 | \$1,833 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6363-6H7 | \$1,878 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-6363-7H0 | \$1,793 | None | 12/24 VDC |
| PD8-6363-7H2 | \$1,833 | 2 Relays | 12/24 VDC |
| PD8-6363-7H3 | \$1,853 | 4-20 mA Output | 12/24 VDC |
| PD8-6363-7H4 | \$1,878 | 4 Relays | 12/24 VDC |
| PD8-6363-7H5 | \$1,898 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-6363-7H7 | \$1,938 | 4 Relays & 4-20 mA Output | 12/24 VDC |

**PD8-7000**

ProtEX-MAX Explosion-Proof Temperature Meter
Input: TC & RTD

| Model | Price | Options Installed | Power |
|--------------|---------|---------------------------|------------|
| PD8-7000-6H0 | \$1,498 | None | 85-265 VAC |
| PD8-7000-6H2 | \$1,543 | 2 Relays | 85-265 VAC |
| PD8-7000-6H3 | \$1,563 | 4-20 mA Output | 85-265 VAC |
| PD8-7000-6H4 | \$1,583 | 4 Relays | 85-265 VAC |
| PD8-7000-6H5 | \$1,603 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-7000-6H7 | \$1,643 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD8-7000-7H0 | \$1,563 | None | 12/24 VDC |
| PD8-7000-7H2 | \$1,603 | 2 Relays | 12/24 VDC |
| PD8-7000-7H3 | \$1,623 | 4-20 mA Output | 12/24 VDC |
| PD8-7000-7H4 | \$1,643 | 4 Relays | 12/24 VDC |
| PD8-7000-7H5 | \$1,663 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD8-7000-7H7 | \$1,708 | 4 Relays & 4-20 mA Output | 12/24 VDC |

Annunciators & Scanners

**PD138**

Minimux® II Temperature & Process Scanner
Input: TC, RTD, 4-20 mA, & Voltage

| Model | Price | Description | Power |
|------------|-------|--|---------|
| PD138-2 | \$414 | Temperature & Process Scanner | 24 VDC |
| PD138-3 | \$309 | Temperature & Process Scanner | 115 VAC |
| PD138-4 | \$309 | Temperature & Process Scanner | 230 VAC |
| PD138-2-CL | \$439 | Temperature & Process Scanner with Current Loop Resistor | 24 VDC |
| PD138-3-CL | \$339 | Temperature & Process Scanner with Current Loop Resistor | 115 VAC |
| PD138-4-CL | \$339 | Temperature & Process Scanner with Current Loop Resistor | 230 VAC |

**PD154**

Vigilante® II 4-Point Alarm Annunciator
Input: NO or NC switches, Open collector transistor, & Logic Levels

| Model | Price | Description | Power |
|--------------|-------|---------------------------|------------|
| PD154-6R2-1* | \$309 | 4-Point Alarm Annunciator | 85-265 VAC |
| PD154-7R2-0 | \$414 | 4-Point Alarm Annunciator | 12-36 VDC |

**PD158**

Vigilante® II 8-Point Alarm Annunciator
Input: NO or NC switches, Open collector transistor, & Logic Levels

| Model | Price | Description | Power |
|--------------|-------|---------------------------|------------|
| PD158-6R2-1* | \$414 | 8-Point Alarm Annunciator | 85-265 VAC |
| PD158-7R2-0 | \$519 | 8-Point Alarm Annunciator | 12-36 VDC |

**PDS178**

Watchdog Temperature Scanning System

| Model | Price | Description |
|----------|-------|--|
| PDS178 | \$599 | PD765-6R2-00 Temperature Meter PD138-3 Temperature Scanner PDA2821 Plastic NEMA 4X Enclosure |
| PDS178X2 | \$699 | PD765-6X2-00 Temperature Meter PD138-3 Temperature Scanner PDA2821 Plastic NEMA 4X Enclosure |

Digital Pressure Gauges



PD205
General Purpose Digital Pressure Gauge
Input: Vacuum to 25,000 psi
Accuracy: 0.50% FS Terminal Point

| Model | Price | Options Installed | Power |
|------------------|-------|----------------------------|---------|
| PD205-BK0-4N-### | \$289 | 0.50% Accuracy + Backlight | Battery |
| PD205-BL0-4N-### | \$269 | 0.50% Accuracy | Battery |



PD206
General Purpose Digital Pressure Gauge
Input: Vacuum to 25,000 psi
Accuracy: 0.25% FS Terminal Point

| Model | Price | Options Installed | Power |
|------------------|-------|----------------------------|---------|
| PD206-BK0-4N-### | \$354 | 0.25% Accuracy + Backlight | Battery |
| PD206-BL0-4N-### | \$334 | 0.25% Accuracy | Battery |

Pressure Gauge Range Codes for PD205 & PD206

| Range | Code | Units |
|-----------|------|---------------|
| -30/0 | CH00 | Compound inHg |
| -14.5/15 | C150 | Compound psi |
| -14.5/30 | C300 | Compound psi |
| -14.5/60 | C600 | Compound psi |
| -14.5/100 | C101 | Compound psi |
| -14.5/300 | C301 | Compound psi |
| 15 | P150 | Pressure psig |
| 30 | P300 | Pressure psig |
| 60 | P600 | Pressure psig |
| 100 | P101 | Pressure psig |
| 200 | P201 | Pressure psig |
| 300 | P301 | Pressure psig |
| 500 | P501 | Pressure psig |
| 1,000 | P102 | Pressure psig |
| 1,500 | P152 | Pressure psig |
| 2,000 | P202 | Pressure psig |
| 3,000 | P302 | Pressure psig |
| 5,000 | P502 | Pressure psig |
| 10,000 | P103 | Pressure psig |
| 15,000 | P153 | Pressure psig |
| 20,000 | P203 | Pressure psig |
| 25,000 | P253 | Pressure psig |



PD213
Industrial Digital Pressure Gauge
Input: Vacuum to 20,000 psi
Accuracy: 0.25% FS Terminal Point

| Model | Price | Options Installed | Power |
|-----------------|-------|----------------------------|-----------|
| PD213-0L0-4N-## | \$489 | None | Loop-Pwr |
| PD213-2K0-4N-## | \$534 | None | 12-36 VDC |
| PD213-2K2-4N-## | \$669 | 2 Relays | 12-36 VDC |
| PD213-2K3-4N-## | \$614 | 4-20 mA Output† | 12-36 VDC |
| PD213-2K5-4N-## | \$759 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD213-2L0-4N-## | \$489 | None | 12-36 VDC |
| PD213-2L2-4N-## | \$619 | 2 Relays | 12-36 VDC |
| PD213-2L3-4N-## | \$569 | 4-20 mA Output† | 12-36 VDC |
| PD213-2L5-4N-## | \$709 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD213-BK0-4N-## | \$464 | None | Battery |
| PD213-BL0-4N-## | \$424 | None | Battery |

Note: Model numbers including a K indicate that the unit comes with backlight.
 (##) Pressure range code. See next page for codes.
 † Passive 4-20 mA output



PD214
Industrial Digital Pressure Gauge
Input: Vacuum to 20,000 psi
Accuracy: 0.25% FS Terminal Point

| Model | Price | Options Installed | Power |
|-----------------|-------|----------------------------|-----------|
| PD214-0L0-4N-## | \$599 | None | Loop-Pwr |
| PD214-2K0-4N-## | \$649 | None | 12-36 VDC |
| PD214-2K2-4N-## | \$774 | 2 Relays | 12-36 VDC |
| PD214-2K3-4N-## | \$729 | 4-20 mA Output† | 12-36 VDC |
| PD214-2K5-4N-## | \$874 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD214-2L0-4N-## | \$599 | None | 12-36 VDC |
| PD214-2L2-4N-## | \$729 | 2 Relays | 12-36 VDC |
| PD214-2L3-4N-## | \$679 | 4-20 mA Output† | 12-36 VDC |
| PD214-2L5-4N-## | \$819 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD214-BK0-4N-## | \$574 | None | Battery |
| PD214-BL0-4N-## | \$524 | None | Battery |

Note: Model numbers including a K indicate that the unit comes with backlight.
 (##) Pressure range code. See next page for codes.
 † Passive 4-20 mA output
 1/2" NPT Connection available. Replace -4 with -2 (Same Price)

IMPORTANT NOTICE: Pressure gauges will not be accepted for return for any reason other than defective material. Precision Digital makes no representation with regard to the suitability for use of these products for any particular application. If more than one unit is needed, we suggest that you purchase one to make sure it works for your intended use as all sales are final.



PD224
 Industrial Digital Pressure Gauge
 Input: Vacuum to 20,000 psi
 Accuracy: 0.25% FS Terminal Point

| Model | Price | Options Installed | Power |
|-----------------|-------|----------------------------|-----------|
| PD224-0L0-4N-## | \$769 | None | Loop-Pwr |
| PD224-2K0-4N-## | \$739 | None | 12-36 VDC |
| PD224-2K2-4N-## | \$829 | 2 Relays | 12-36 VDC |
| PD224-2K3-4N-## | \$849 | 4-20 mA Output† | 12-36 VDC |
| PD224-2K5-4N-## | \$919 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD224-2L0-4N-## | \$699 | None | 12-36 VDC |
| PD224-2L2-4N-## | \$834 | 2 Relays | 12-36 VDC |
| PD224-2L3-4N-## | \$784 | 4-20 mA Output† | 12-36 VDC |
| PD224-2L5-4N-## | \$919 | 2 Relays + 4-20 mA Output† | 12-36 VDC |
| PD224-BK0-4N-## | \$674 | None | Battery |
| PD224-BL0-4N-## | \$619 | None | Battery |

Note: Model numbers including a K indicate that the unit comes with backlight.
 (##) Pressure range code. See next page for codes.
 † Passive 4-20 mA output
 1/2" NPT Connection available. Replace -4 with -2 (Same Price)



PD233
 Test Digital Pressure Gauge
 Input: Vacuum to 7,000 psi
 Accuracy: 0.25% FS Terminal Point

| Model | Price | Description | Power |
|-----------------|-------|-----------------------------|---------|
| PD233-BK0-4N-## | \$874 | Test Digital Pressure Gauge | Battery |



PD243
 Test Digital Pressure Gauge
 Input: Vacuum to 7,000 psi
 Accuracy: 0.10% FS Terminal Point

| Model | Price | Description | Power |
|-----------------|---------|-----------------------------|---------|
| PD243-BK0-4N-## | \$1,019 | Test Digital Pressure Gauge | Battery |



PD253
 Test Digital Pressure Gauge
 Input: Vacuum to 7,000 psi
 Accuracy: 0.05% FS Terminal Point

| Model | Price | Description | Power |
|-----------------|---------|-----------------------------|---------|
| PD253-BK0-4C-## | \$1,164 | Test Digital Pressure Gauge | Battery |

Includes certificate of calibration

IMPORTANT NOTICE: Pressure gauges will not be accepted for return for any reason other than defective material. Precision Digital makes no representation with regard to the suitability for use of these products for any particular application. If more than one unit is needed, we suggest that you purchase one to make sure it works for your intended use as all sales are final.

Options for Industrial & Test Gauges

| Code | Price | Description | PD213 | PD214 | PD224 | PD233 | PD243 | PD253 |
|------|---------|---------------------------------|-------|-------|-------|-------|-------|-------|
| C | \$159 | Calibration with Certificate | • | • | • | • | • | ☑ |
| E | \$49 | Electropolished | • | | | ☑ | ☑ | ☑ |
| G | \$25 | Front Flange for Panel Mounting | • | | | • | • | • |
| H | \$74 | Electropolished & Front Flange | • | | | | | |
| W | \$1,350 | Diaphragm Seal for Chlorine Gas | • | • | • | • | • | • |
| X | \$59 | Oxygen Service | • | • | • | • | • | • |
| Y | \$80 | Accu-Seal Diaphragm | | • | • | | | |
| Z | \$139 | Oxygen Service & Accu-Seal | | • | • | | | |

• Available ☑ Standard

Enter C, E, G, or H in place of N (Example: PD213-2L0-4G-08)

Enter W, X, Y, or Z before ## code in place of hyphen (-) (Example: PD213-2L0-2NX08)

Industrial & Test Digital Pressure Gauge Range Codes

| Range | Code | Units | Industrial | Test |
|---------|------|--------------------------------------|------------|------|
| 15 | A1 | Absolute psia | | • |
| 25 | A2 | Absolute psia | | • |
| 50 | A3 | Absolute psia | | • |
| -15/15 | C1 | Compound psi | • | • |
| -15/30 | C2 | Compound psi C2: inHg/psi for G type | • | • |
| -15/60 | C3 | Compound psi C3: inHg/psi for G type | • | • |
| -15/100 | C4 | Compound psi C4: inHg/psi for G type | • | • |
| -30/0 | 00 | Compound inHg | • | |
| -15/0 | 00 | psig | | • |
| 5 | 01 | Pressure psig | | • |
| 10 | 02 | Pressure psig | | • |
| 15 | 03 | Pressure psig | • | • |
| 30 | 04 | Pressure psig | • | • |
| 60 | 05 | Pressure psig | • | • |
| 100 | 06 | Pressure psig | • | • |
| 160 | 07 | Pressure psig | • | • |
| 200 | 08 | Pressure psig | • | • |
| 300 | 09 | Pressure psig | • | • |
| 500 | 10 | Pressure psig | | • |
| 600 | 11 | Pressure psig | • | |
| 800 | 12 | Pressure psig | • | |
| 1,000 | 13 | Pressure psig | • | • |
| 2,000 | 15 | Pressure psig | • | • |
| 2,500 | 16 | Pressure psig | | • |
| 3,000 | 17 | Pressure psig | • | • |
| 5,000 | 18 | Pressure psig | • | • |
| 7,000 | 19 | Pressure psig | | • |
| 8,000 | 20 | Pressure psig | • | |
| 10,000 | 21 | Pressure psig | • | |
| 15,000 | 22 | Pressure psig | • | |
| 20,000 | 23 | Pressure psig | • | |



Pressure Gauge Accessories

| Model | Price | Description |
|---------|-------|--|
| PDA2000 | \$154 | ABS Carrying Case 3" Gauges |
| PDA2001 | \$23 | Protective Rubber Boot for 3" Gauges |
| PDA2002 | \$11 | Protective Front Cover for 3" Gauges |
| PDA2003 | \$11 | Throttle Screw for 4½" Gauges |
| PDA2004 | \$7 | Throttle Plug for 3" Gauges |
| PDA2005 | \$47 | Panel Mounting Kit 4½" Gauges |
| PDA2006 | \$23 | Gauge Pouch for PD205, PD206 & PD213 |
| PDA2007 | \$23 | Protective Rubber Boot for PD205 & PD206 |
| PDA2008 | \$35 | Battery Pack Holder for PD214/224 |
| PDA2009 | \$214 | 5 FT SS Armored Capillary Tube |

Meters & Controllers



PD540
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/16

| Model | Price | 5+ ea. | Options Installed |
|---------------|-------|--------|----------------------------|
| PD540-6RA-00* | \$224 | \$174 | 1 Relay, 1 Analog Output |
| PD540-6RA-11 | \$279 | \$229 | 2 Relays, 1 Analog, 2 DI |
| PD540-6RA-14 | \$329 | \$279 | 2 Relays, 1 Analog, RS-485 |
| PD540-6RA-31 | \$279 | \$229 | 1 Relay, 2 Analog, 2 DI |
| PD540-6RA-34 | \$329 | \$279 | 1 Relay, 2 Analog, RS-485 |



PD541
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|---------------------------------|
| PD541-6RA-00 | \$299 | \$249 | 1 Relay, 1 Analog, H&C |
| PD541-6RA-11 | \$329 | \$279 | 2 Relays, 1 Analog, 2 DI, H&C |
| PD541-6RA-14 | \$379 | \$329 | 2 Relays, 1 Analog, RS-485, H&C |
| PD541-6RA-31 | \$329 | \$279 | 1 Relay, 2 Analog, 2 DI, H&C |
| PD541-6RA-34 | \$384 | \$334 | 1 Relay, 2 Analog, RS-485, H&C |



PD542
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/8 (H)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD542-6RB-00 | \$289 | \$239 | 1 Relay, 2 Analog Outputs |
| PD542-6RB-21 | \$339 | \$289 | 3 Relays, 2 Analog, 2 DI |
| PD542-6RB-24 | \$359 | \$309 | 3 Relays, 2 Analog, RS-485 |



PD543
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/8 (H)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|---------------------------------|
| PD543-6RB-00 | \$359 | \$309 | 1 Relay, 2 Analog, H&C |
| PD543-6RB-21 | \$414 | \$364 | 3 Relays, 2 Analog, 2 DI, H&C |
| PD543-6RB-24 | \$434 | \$384 | 3 Relays, 2 Analog, RS-485, H&C |



PD544
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 3/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD544-6RA-00 | \$279 | \$229 | 1 Relay, 1 Analog Output |
| PD544-6RA-04 | \$339 | \$289 | 1 Relay, 1 Analog, RS-485 |
| PD544-6RA-51 | \$339 | \$289 | 3 Relays, 2 Analog, 2 DI |
| PD544-6RA-54 | \$404 | \$354 | 3 Relays, 2 Analog, RS-485 |



PD545
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 3/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|---------------------------------|
| PD545-6RA-00 | \$329 | \$279 | 1 Relay, 1 Analog Output, H&C |
| PD545-6RA-04 | \$394 | \$344 | 1 Relay, 1 Analog, RS-485, H&C |
| PD545-6RA-51 | \$394 | \$344 | 3 Relays, 2 Analog, 2 DI, H&C |
| PD545-6RA-54 | \$454 | \$404 | 3 Relays, 2 Analog, RS-485, H&C |



PD546
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/8 (V)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD546-6RB-00 | \$289 | \$239 | 1 Relay, 2 Analog Outputs |
| PD546-6RB-21 | \$339 | \$289 | 3 Relays, 2 Analog, 2 DI |
| PD546-6RB-24 | \$359 | \$309 | 3 Relays, 2 Analog, RS-485 |



PD547
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/8 (V)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|---------------------------------|
| PD547-6RB-00 | \$339 | \$289 | 1 Relay, 2 Analog, H&C |
| PD547-6RB-21 | \$404 | \$354 | 3 Relays, 2 Analog, 2 DI, H&C |
| PD547-6RB-24 | \$424 | \$374 | 3 Relays, 2 Analog, RS-485, H&C |



PD548
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/4

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD548-6RB-00 | \$299 | \$249 | 1 Relay, 2 Analog Outputs |
| PD548-6RB-21 | \$349 | \$299 | 3 Relays, 2 Analog, 2 DI |
| PD548-6RB-24 | \$374 | \$324 | 3 Relays, 2 Analog, RS-485 |



PD549
Nova Digital PID Controllers
Input: Process, TC, & RTD
DIN Size: 1/4

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|---------------------------------|
| PD549-6RB-00 | \$374 | \$324 | 1 Relay, 2 Analog, H&C |
| PD549-6RB-21 | \$434 | \$384 | 3 Relays, 2 Analog, 2 DI, H&C |
| PD549-6RB-24 | \$454 | \$404 | 3 Relays, 2 Analog, RS-485, H&C |

NOTE: "5+ ea." price applies to orders of 5 or more units.

* Quick ship product, typically shipped within 2 business days.



PD550
Nova Ramp & Soak Controllers
Input: Process, TC, & RTD
DIN Size: 1/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD550-6RA-00 | \$309 | \$259 | 1 Relay, 1 Analog Output |
| PD550-6RA-02 | \$369 | \$319 | 1 Relay, 1 Analog, 2 DO |
| PD550-6RA-03 | \$424 | \$374 | 1 Relay, 1 Analog, 4 DO |
| PD550-6RA-11 | \$339 | \$289 | 2 Relays, 1 Analog, 2 DI |
| PD550-6RA-14 | \$369 | \$319 | 2 Relays, 1 Analog, RS-485 |
| PD550-6RA-31 | \$339 | \$289 | 1 Relay, 2 Analog, 2 DI |
| PD550-6RA-34 | \$369 | \$319 | 1 Relay, 2 Analog, RS-485 |



PD554
Nova Ramp & Soak Controllers
Input: Process, TC, & RTD
DIN Size: 3/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD554-6RA-00 | \$339 | \$289 | 1 Relay, 1 Analog Output |
| PD554-6RA-02 | \$404 | \$354 | 1 Relay, 1 Analog, 2 DO |
| PD554-6RA-03 | \$454 | \$404 | 1 Relay, 1 Analog, 4 DO |
| PD554-6RA-04 | \$404 | \$354 | 1 Relay, 1 Analog, RS-485 |
| PD554-6RA-51 | \$379 | \$329 | 3 Relays, 2 Analog, 2 DI |
| PD554-6RA-52 | \$434 | \$384 | 3 Relays, 2 Analog, 2 DO |
| PD554-6RA-53 | \$494 | \$444 | 3 Relays, 2 Analog, 4 DO |
| PD554-6RA-54 | \$434 | \$384 | 3 Relays, 2 Analog, RS-485 |



PD556
Nova Ramp & Soak Controllers
Input: Process, TC, & RTD
DIN Size: 1/8 (V)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------------|
| PD556-6RB-00 | \$359 | \$309 | 1 Relay, 2 Analog Outputs |
| PD556-6RB-21 | \$409 | \$359 | 3 Relays, 2 Analog, 2 DI |
| PD556-6RB-24 | \$419 | \$369 | 3 Relays, 2 Analog, RS-485 |
| PD556-6RB-25 | \$484 | \$434 | 3 Relays, 2 Analog, 2 DI, 4 DO |
| PD556-6RB-26 | \$539 | \$489 | 3 Relays, 2 Analog, RS-485, 4 DO |



PD558
Nova Ramp & Soak Controllers
Input: Process, TC, & RTD
DIN Size: 1/4

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------------|
| PD558-6RB-00 | \$379 | \$329 | 1 Relay, 2 Analog Outputs |
| PD558-6RB-21 | \$434 | \$384 | 3 Relays, 2 Analog, 2 DI |
| PD558-6RB-24 | \$454 | \$404 | 3 Relays, 2 Analog, RS-485 |
| PD558-6RB-25 | \$519 | \$469 | 3 Relays, 2 Analog, 2 DI, 4 DO |
| PD558-6RB-26 | \$569 | \$519 | 3 Relays, 2 Analog, RS-485, 4 DO |

PD540-PD570 Notes

2 DI: Two digital inputs
DO: Number of digital outputs
H&C: Heating and cooling option
RS-485: RS-485 serial communication option includes all the communication protocols
For a complete description of each model, please refer to the data sheets.
For serial communications accessories, please see page 9.



PD562
Nova Digital Meters
Input: Process, TC, & RTD
DIN Size: 1/8 (H)

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD562-6RA-00 | \$299 | \$249 | 1 Relay, 1 Analog Output |
| PD562-6RA-21 | \$359 | \$309 | 3 Relays, 1 Analog, 2 DI |
| PD562-6RA-24 | \$414 | \$364 | 3 Relays, 1 Analog, RS-485 |



PD568
Nova Digital Meters
Input: Process, TC, & RTD
DIN Size: 1/4

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD568-6RA-00 | \$299 | \$249 | 1 Relay, 1 Analog Output |
| PD568-6RA-21 | \$359 | \$309 | 3 Relays, 1 Analog, 2 DI |
| PD568-6RA-24 | \$414 | \$364 | 3 Relays, 1 Analog, RS-485 |



PD570
Nova Limit Controllers
Input: Process, TC, & RTD
DIN Size: 1/16

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD570-6RA-10 | \$214 | \$164 | 2 Relays, 1 Analog Output |
| PD570-6RA-14 | \$279 | \$229 | 2 Relays, 1 Analog, RS-485 |



PD578
Nova Limit Controllers
Input: Process, TC, & RTD
DIN Size: 1/4

| Model | Price | 5+ ea. | Options Installed |
|--------------|-------|--------|----------------------------|
| PD578-6RA-10 | \$299 | \$249 | 2 Relays, 1 Analog Output |
| PD578-6RA-14 | \$359 | \$309 | 2 Relays, 1 Analog, RS-485 |



PD603
Sabre P Low-Cost Process Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Model | Price† | Options Installed | Power |
|--------------|--------|--------------------------|------------|
| PD603-6R0-0* | \$154 | None | 85-265 VAC |
| PD603-6R0-1* | \$194 | 24 VDC Transmitter Power | 85-265 VAC |
| PD603-7R0-0 | \$209 | None | 12-36 VDC |

† Factory orders for Sabre products require a five (5) piece minimum of any combination of Sabre (PD603 & PD743) products. For instance, an order of three (3) PD603-6R0-0 and two (2) PD743-7R0-0 qualifies. For information on individual unit sales, please contact your local distributor.



PD644
Javelin D High-Voltage DC Meter
Input: 0-300 VDC

| Model | Price | Options Installed | Power |
|--------------|-------|---------------------------|------------|
| PD644-6R3-14 | \$269 | 24 VDC Transmitter Supply | 85-265 VAC |
| PD644-6R5-14 | \$319 | 2 Relays + 24 VDC Supply | 85-265 VAC |
| PD644-7R3-04 | \$319 | None | 12-36 VDC |
| PD644-7R5-04 | \$374 | 2 Relays | 12-36 VDC |

All models are supplied with RS-485 communications and 4-20 mA output.

NOTE: "5+ ea." price applies to orders of 5 or more units.

* Quick ship product, typically shipped within 2 business days.



PD650
2.3" Large Display Process Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Model | Price | Description | Power |
|------------|---------|---------------------------|-------------|
| PD650-N | \$884 | None | 115/230 VAC |
| PD650-34 | \$984 | 2 Relays | 115/230 VAC |
| PD650-35 | \$1,039 | 4-20 mA Output | 115/230 VAC |
| PD650-36 | \$1,139 | 2 Relays + 4-20 mA Output | 115/230 VAC |
| PD650-37 | \$1,089 | 4 Relays | 115/230 VAC |
| PD650-38 | \$1,244 | 4 Relays + 4-20 mA Output | 115/230 VAC |
| PD650-2-N | \$989 | None | 24 VDC |
| PD650-2-34 | \$1,089 | 2 Relays | 24 VDC |
| PD650-2-35 | \$1,144 | 4-20 mA Output | 24 VDC |
| PD650-2-36 | \$1,244 | 2 Relays + 4-20 mA Output | 24 VDC |
| PD650-2-37 | \$1,194 | 4 Relays | 24 VDC |
| PD650-2-38 | \$1,349 | 4 Relays + 4-20 mA Output | 24 VDC |



PD655
1.0" Large Display Process Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Model | Price | Description | Power |
|------------|---------|---------------------------|-------------|
| PD655-N | \$559 | None | 115/230 VAC |
| PD655-44 | \$664 | 2 Relays | 115/230 VAC |
| PD655-45 | \$714 | 4-20 mA Output | 115/230 VAC |
| PD655-46 | \$819 | 2 Relays + 4-20 mA Output | 115/230 VAC |
| PD655-47 | \$769 | 4 Relays | 115/230 VAC |
| PD655-48 | \$924 | 4 Relays + 4-20 mA Output | 115/230 VAC |
| PD655-2-N | \$664 | None | 24 VDC |
| PD655-2-44 | \$769 | 2 Relays | 24 VDC |
| PD655-2-45 | \$819 | 4-20 mA Output | 24 VDC |
| PD655-2-46 | \$924 | 2 Relays + 4-20 mA Output | 24 VDC |
| PD655-2-47 | \$874 | 4 Relays | 24 VDC |
| PD655-2-48 | \$1,029 | 4 Relays + 4-20 mA Output | 24 VDC |



PD662
Survivor Loop-Powered Meter
Display: 3½+ digits (2,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|---------------|-------|--------------------|-----------|
| PD662-0L0-00* | \$209 | None | CSA†, CE |
| PD662-0K0-00 | \$259 | Backlight | CSA†, CE |
| PD662-0L0-A0 | \$289 | Heater | CSA†, CE |
| PD662-0K0-A0 | \$339 | Backlight + Heater | CSA†, CE |

† Electrical safety only



PD663
ProfEX-Lite Process Meter
Display: 3½+ digits (2,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|--------------|-------|-------------------------|--------------------------|
| PD663-0L0-00 | \$379 | None | FM, CSA, ATEX, IECEx, CE |
| PD663-0K0-00 | \$429 | Backlight | FM, CSA, ATEX, IECEx, CE |
| PD663-0LA-00 | \$419 | Reed Switch | FM, CSA, ATEX, IECEx, CE |
| PD663-0KA-00 | \$469 | Backlight + Reed Switch | FM, CSA, ATEX, IECEx, CE |



PD675
Loop-Powered Meter
Display: 4½ digits (19,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|---------|-------|-------------------|-----------|
| PD675-N | \$384 | None | FM, CSA |



PD683
Loop Leader® Loop-Powered Meter
Display: 5-digit (99,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|------------|-------|-------------------|-----------|
| PD683-0K0* | \$194 | Backlight | CE |



PD684
Loop Leader® Loop-Powered Rate/Totalizer
Display: 5-digit (99,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|-----------|-------|-------------------|-----------|
| PD684-0K1 | \$269 | Backlight | CE |



PD685
Loop-Powered Meter
Display: 3½ digits (1,999)
Input: 4-20 mA

| Model | Price | ½" Conduit Hole | Approvals |
|---------|-------|-----------------|-----------|
| PD685 | \$269 | Bottom | N/A |
| PD685-X | \$269 | Rear | N/A |
| PD685-Y | \$269 | Top | N/A |
| PD685-Z | \$269 | None | N/A |

* Quick ship product, typically shipped within 2 business days.



PD686
Loop-Powered Meter
Display: 3½ digits (1,999)
Input: 4-20 mA

| Model | Price | ½" Conduit Hole | Approvals |
|---------|-------|-----------------|-----------|
| PD686* | \$319 | Bottom | FM, CSA |
| PD686-X | \$319 | Rear | FM, CSA |
| PD686-Y | \$319 | Top | FM, CSA |
| PD686-Z | \$319 | None | FM, CSA |



PD765
Trident X2 Process & Temperature Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V); TC & RTD

| Model | Price | Options Installed | Power |
|---------------|-------|---|------------|
| PD765-6X0-00* | \$319 | None | 85-265 VAC |
| PD765-6X0-10 | \$359 | 24 VDC Supply | 85-265 VAC |
| PD765-6X2-00 | \$379 | 2 Relays | 85-265 VAC |
| PD765-6X2-10 | \$419 | 2 Relays + 24 VDC Supply | 85-265 VAC |
| PD765-6X3-00 | \$409 | 4-20 mA Output | 85-265 VAC |
| PD765-6X3-10 | \$429 | 4-20 mA Out + 24 VDC Supply | 85-265 VAC |
| PD765-6X3-20 | \$514 | 4-20 mA Out + Dual 24 VDC Supplies | 85-265 VAC |
| PD765-6X5-10 | \$449 | 2 Relays + 4-20 mA Output + 24 VDC Supply | 85-265 VAC |
| PD765-7X0-00 | \$369 | None | 12-36 VDC |
| PD765-7X2-00 | \$429 | 2 Relays | 12-36 VDC |
| PD765-7X3-00 | \$439 | 4-20 mA Output | 12-36 VDC |
| PD765-7X5-00 | \$459 | 2 Relays + 4-20 mA Output | 12-36 VDC |



PD688
Loop Leader® Loop-Powered Meter
Display: 5-digit (99,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|------------|-------|-------------------|-------------------|
| PD688-0K0* | \$319 | Backlight | FM, CSA, ATEX, CE |



PD689
Loop Leader® Loop-Powered Rate/Totalizer
Display: 5-digit (99,999)
Input: 4-20 mA

| Model | Price | Options Installed | Approvals |
|-----------|-------|-------------------|-------------------|
| PD689-0K1 | \$404 | Backlight | FM, CSA, ATEX, CE |



PD743
Sabre T Low-Cost Temperature Meter
Input: TC & RTD

| Model | Price† | Options Installed | Power |
|--------------|--------|-------------------|------------|
| PD743-6R0-0* | \$154 | None | 85-265 VAC |
| PD743-7R0-0 | \$204 | None | 12-36 VDC |

† Factory orders for Sabre products require a five (5) piece minimum of any combination of Sabre (PD603 & PD743) products. For instance, an order of three (3) PD603-6R0-0 and two (2) PD743-7R0-0 qualifies. For information on individual unit sales, please contact your local distributor.



PD865
Snooper Modbus® Serial Input Meter
Input: Modbus® RTU

| Model | Price | Options Installed | Power |
|--------------|-------|--|------------|
| PD865-6R2-06 | \$269 | None | 85-265 VAC |
| PD865-6R5-16 | \$364 | 4-20 mA Out + 24 VDC Supply | 85-265 VAC |
| PD865-6R7-16 | \$424 | 2 Relays, 4-20 mA Output + 24 VDC Supply | 85-265 VAC |
| PD865-7R5-06 | \$374 | 4-20 mA Output | 12-36 VDC |
| PD865-7R7-06 | \$434 | 2 Relays + 4-20 mA Output | 12-36 VDC |

All models are supplied with 2 form A relays.



PD765
Trident Process & Temperature Meter
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V); TC & RTD

| Model | Price | Options Installed | Power |
|---------------|-------|---|------------|
| PD765-6R0-00* | \$219 | None | 85-265 VAC |
| PD765-6R0-10* | \$259 | 24 VDC Supply | 85-265 VAC |
| PD765-6R2-00* | \$279 | 2 Relays | 85-265 VAC |
| PD765-6R2-10* | \$319 | 2 Relays + 24 VDC Supply | 85-265 VAC |
| PD765-6R3-00* | \$309 | 4-20 mA Output | 85-265 VAC |
| PD765-6R3-10* | \$329 | 4-20 mA Output + 24 VDC Supply | 85-265 VAC |
| PD765-6R3-20* | \$414 | 4-20 mA Output + Dual 24 VDC Supplies | 85-265 VAC |
| PD765-6R5-10* | \$349 | 2 Relays + 4-20 mA Output + 24 VDC Supply | 85-265 VAC |
| PD765-7R0-00* | \$269 | None | 12-36 VDC |
| PD765-7R2-00* | \$329 | 2 Relays | 12-36 VDC |
| PD765-7R3-00* | \$339 | 4-20 mA Output | 12-36 VDC |
| PD765-7R5-00* | \$359 | 2 Relays + 4-20 mA Output | 12-36 VDC |



PD900 Series
ConsoliDator® Multi-Channel Controllers
Input: 4-20 mA, Pulse

| Model | Price | Description | 4-20 Inputs | Pulse Inputs | 4-20 Outputs | Relays | Mounting |
|--------------|---------|----------------------|-------------|--------------|--------------|--------|----------|
| PD940-8K9-15 | \$1,449 | 4-Channel Controller | 4 | 4 | 4 | 9 | Wall |
| PD941-8K9-15 | \$1,449 | 4-Channel Controller | 4 | 4 | 4 | 9 | Panel |
| PD980-8K9-15 | \$1,759 | 8-Channel Controller | 8 | 4 | 2 | 9 | Wall |
| PD981-8K9-15 | \$1,759 | 8-Channel Controller | 8 | 4 | 2 | 8 | Panel |

ConsoliDator® Software for programming and data logging is included free of charge.

* Quick ship product, typically shipped within 2 business days.



PD6000
 PROVu® Process Meter
 Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD6060
 PROVu® Dual-Input Process Meter
 Input: Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6000-6R0* | \$299 | None | 85-265 VAC |
| PD6000-6R2* | \$344 | 2 Relays | 85-265 VAC |
| PD6000-6R3* | \$364 | 4-20 mA Output | 85-265 VAC |
| PD6000-6R4* | \$384 | 4 Relays | 85-265 VAC |
| PD6000-6R5* | \$404 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6000-6R7* | \$444 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6000-7R0 | \$364 | None | 12/24 VDC |
| PD6000-7R2 | \$404 | 2 Relays | 12/24 VDC |
| PD6000-7R3 | \$424 | 4-20 mA Output | 12/24 VDC |
| PD6000-7R4 | \$444 | 4 Relays | 12/24 VDC |
| PD6000-7R5 | \$469 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6000-7R7 | \$509 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6000-6H0* | \$399 | None | 85-265 VAC |
| PD6000-6H2* | \$444 | 2 Relays | 85-265 VAC |
| PD6000-6H3* | \$464 | 4-20 mA Output | 85-265 VAC |
| PD6000-6H4* | \$484 | 4 Relays | 85-265 VAC |
| PD6000-6H5* | \$504 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6000-6H7* | \$544 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6000-7H0 | \$464 | None | 12/24 VDC |
| PD6000-7H2 | \$504 | 2 Relays | 12/24 VDC |
| PD6000-7H3 | \$524 | 4-20 mA Output | 12/24 VDC |
| PD6000-7H4 | \$544 | 4 Relays | 12/24 VDC |
| PD6000-7H5 | \$569 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6000-7H7 | \$609 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6060-6R0 | \$419 | None | 85-265 VAC |
| PD6060-6R2 | \$464 | 2 Relays | 85-265 VAC |
| PD6060-6R3 | \$484 | 4-20 mA Output | 85-265 VAC |
| PD6060-6R4 | \$504 | 4 Relays | 85-265 VAC |
| PD6060-6R5 | \$524 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6060-6R7 | \$564 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6060-7R0 | \$484 | None | 12/24 VDC |
| PD6060-7R2 | \$524 | 2 Relays | 12/24 VDC |
| PD6060-7R3 | \$544 | 4-20 mA Output | 12/24 VDC |
| PD6060-7R4 | \$564 | 4 Relays | 12/24 VDC |
| PD6060-7R5 | \$589 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6060-7R7 | \$629 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6060-6H0 | \$519 | None | 85-265 VAC |
| PD6060-6H2 | \$564 | 2 Relays | 85-265 VAC |
| PD6060-6H3 | \$584 | 4-20 mA Output | 85-265 VAC |
| PD6060-6H4 | \$604 | 4 Relays | 85-265 VAC |
| PD6060-6H5 | \$624 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6060-6H7 | \$664 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6060-7H0 | \$584 | None | 12/24 VDC |
| PD6060-7H2 | \$624 | 2 Relays | 12/24 VDC |
| PD6060-7H3 | \$644 | 4-20 mA Output | 12/24 VDC |
| PD6060-7H4 | \$664 | 4 Relays | 12/24 VDC |
| PD6060-7H5 | \$689 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6060-7H7 | \$729 | 4 Relays & 4-20 mA Output | 12/24 VDC |

* Quick ship product, typically shipped within 2 business days.



PD6080

PROVu® Super Snooper Modbus® Input Scanner
 Input: RS-485 Modbus® RTU; Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD6088

PROVu® Super Snooper Modbus® Input Scanner
 Input: RS-485 Modbus® RTU

SunBright Display Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6080-6H0 | \$599 | None | 85-265 VAC |
| PD6080-6H2 | \$644 | 2 Relays | 85-265 VAC |
| PD6080-6H3 | \$664 | 4-20 mA Output | 85-265 VAC |
| PD6080-6H4 | \$684 | 4 Relays | 85-265 VAC |
| PD6080-6H5 | \$704 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6080-6H7 | \$744 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6080-7H0 | \$664 | None | 12/24 VDC |
| PD6080-7H2 | \$704 | 2 Relays | 12/24 VDC |
| PD6080-7H3 | \$724 | 4-20 mA Output | 12/24 VDC |
| PD6080-7H4 | \$744 | 4 Relays | 12/24 VDC |
| PD6080-7H5 | \$769 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6080-7H7 | \$809 | 4 Relays & 4-20 mA Output | 12/24 VDC |

SunBright Display Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6088-6H0 | \$559 | None | 85-265 VAC |
| PD6088-6H2 | \$604 | 2 Relays | 85-265 VAC |
| PD6088-6H3 | \$624 | 4-20 mA Output | 85-265 VAC |
| PD6088-6H4 | \$644 | 4 Relays | 85-265 VAC |
| PD6088-6H5 | \$664 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6088-6H7 | \$704 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6088-7H0 | \$624 | None | 12/24 VDC |
| PD6088-7H2 | \$664 | 2 Relays | 12/24 VDC |
| PD6088-7H3 | \$684 | 4-20 mA Output | 12/24 VDC |
| PD6088-7H4 | \$704 | 4 Relays | 12/24 VDC |
| PD6088-7H5 | \$729 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6088-7H7 | \$769 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD6081

PROVu® Feet & Inches Super Snooper Modbus® Input Scanner
 Input: RS-485 Modbus® RTU; Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD6089


PROVu® Feet & Inches Super Snooper Modbus® Input Scanner
 Input: RS-485 Modbus® RTU

SunBright Display Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6081-6H0 | \$674 | None | 85-265 VAC |
| PD6081-6H2 | \$719 | 2 Relays | 85-265 VAC |
| PD6081-6H3 | \$739 | 4-20 mA Output | 85-265 VAC |
| PD6081-6H4 | \$759 | 4 Relays | 85-265 VAC |
| PD6081-6H5 | \$779 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6081-6H7 | \$819 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6081-7H0 | \$739 | None | 12/24 VDC |
| PD6081-7H2 | \$779 | 2 Relays | 12/24 VDC |
| PD6081-7H3 | \$799 | 4-20 mA Output | 12/24 VDC |
| PD6081-7H4 | \$819 | 4 Relays | 12/24 VDC |
| PD6081-7H5 | \$844 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6081-7H7 | \$884 | 4 Relays & 4-20 mA Output | 12/24 VDC |

SunBright Display Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6089-6H0 | \$634 | None | 85-265 VAC |
| PD6089-6H2 | \$679 | 2 Relays | 85-265 VAC |
| PD6089-6H3 | \$699 | 4-20 mA Output | 85-265 VAC |
| PD6089-6H4 | \$719 | 4 Relays | 85-265 VAC |
| PD6089-6H5 | \$739 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6089-6H7 | \$779 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6089-7H0 | \$699 | None | 12/24 VDC |
| PD6089-7H2 | \$739 | 2 Relays | 12/24 VDC |
| PD6089-7H3 | \$759 | 4-20 mA Output | 12/24 VDC |
| PD6089-7H4 | \$779 | 4 Relays | 12/24 VDC |
| PD6089-7H5 | \$804 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6089-7H7 | \$844 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD6100
PROVu® Strain Gauge Meter
Input: 0-10, 0-20, ±10, ±20, ±100, ±200 mV



PD6200
PROVu® Analog Input Flow Rate/Totalizer
Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6100-6R0 | \$349 | None | 85-265 VAC |
| PD6100-6R2 | \$394 | 2 Relays | 85-265 VAC |
| PD6100-6R3 | \$414 | 4-20 mA Output | 85-265 VAC |
| PD6100-6R4 | \$434 | 4 Relays | 85-265 VAC |
| PD6100-6R5 | \$454 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6100-6R7 | \$494 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6100-7R0 | \$414 | None | 12/24 VDC |
| PD6100-7R2 | \$454 | 2 Relays | 12/24 VDC |
| PD6100-7R3 | \$474 | 4-20 mA Output | 12/24 VDC |
| PD6100-7R4 | \$494 | 4 Relays | 12/24 VDC |
| PD6100-7R5 | \$519 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6100-7R7 | \$559 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6100-6H0 | \$449 | None | 85-265 VAC |
| PD6100-6H2 | \$494 | 2 Relays | 85-265 VAC |
| PD6100-6H3 | \$514 | 4-20 mA Output | 85-265 VAC |
| PD6100-6H4 | \$534 | 4 Relays | 85-265 VAC |
| PD6100-6H5 | \$554 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6100-6H7 | \$594 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6100-7H0 | \$514 | None | 12/24 VDC |
| PD6100-7H2 | \$554 | 2 Relays | 12/24 VDC |
| PD6100-7H3 | \$574 | 4-20 mA Output | 12/24 VDC |
| PD6100-7H4 | \$594 | 4 Relays | 12/24 VDC |
| PD6100-7H5 | \$619 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6100-7H7 | \$659 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6200-6R0* | \$329 | None | 85-265 VAC |
| PD6200-6R2* | \$374 | 2 Relays | 85-265 VAC |
| PD6200-6R3 | \$394 | 4-20 mA Output | 85-265 VAC |
| PD6200-6R4 | \$414 | 4 Relays | 85-265 VAC |
| PD6200-6R5 | \$434 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6200-6R7 | \$479 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6200-7R0 | \$394 | None | 12/24 VDC |
| PD6200-7R2 | \$434 | 2 Relays | 12/24 VDC |
| PD6200-7R3 | \$454 | 4-20 mA Output | 12/24 VDC |
| PD6200-7R4 | \$479 | 4 Relays | 12/24 VDC |
| PD6200-7R5 | \$499 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6200-7R7 | \$539 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6200-6H0* | \$429 | None | 85-265 VAC |
| PD6200-6H2* | \$474 | 2 Relays | 85-265 VAC |
| PD6200-6H3 | \$494 | 4-20 mA Output | 85-265 VAC |
| PD6200-6H4 | \$514 | 4 Relays | 85-265 VAC |
| PD6200-6H5 | \$534 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6200-6H7 | \$579 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6200-7H0 | \$494 | None | 12/24 VDC |
| PD6200-7H2 | \$534 | 2 Relays | 12/24 VDC |
| PD6200-7H3 | \$554 | 4-20 mA Output | 12/24 VDC |
| PD6200-7H4 | \$579 | 4 Relays | 12/24 VDC |
| PD6200-7H5 | \$599 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6200-7H7 | \$639 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD6210

PROVu® Analog Input Batch Controller
 Input: 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)



PD6262

PROVu® Analog Dual-Input Flow Rate/Totalizer
 Input: Dual 0-20 mA, 4-20 mA; ±10 VDC (0-5, 1-5, 0-10 V)

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6210-6R2 | \$474 | 2 Relays | 85-265 VAC |
| PD6210-6R4 | \$514 | 4 Relays | 85-265 VAC |
| PD6210-6R5 | \$534 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6210-6R7 | \$579 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6210-7R2 | \$534 | 2 Relays | 12/24 VDC |
| PD6210-7R4 | \$579 | 4 Relays | 12/24 VDC |
| PD6210-7R5 | \$599 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6210-7R7 | \$639 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6210-6H2 | \$574 | 2 Relays | 85-265 VAC |
| PD6210-6H4 | \$614 | 4 Relays | 85-265 VAC |
| PD6210-6H5 | \$634 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6210-6H7 | \$679 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6210-7H2 | \$634 | 2 Relays | 12/24 VDC |
| PD6210-7H4 | \$679 | 4 Relays | 12/24 VDC |
| PD6210-7H5 | \$699 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6210-7H7 | \$739 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6262-6R0 | \$529 | None | 85-265 VAC |
| PD6262-6R2 | \$574 | 2 Relays | 85-265 VAC |
| PD6262-6R3 | \$594 | 4-20 mA Output | 85-265 VAC |
| PD6262-6R4 | \$614 | 4 Relays | 85-265 VAC |
| PD6262-6R5 | \$634 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6262-6R7 | \$679 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6262-7R0 | \$594 | None | 12/24 VDC |
| PD6262-7R2 | \$634 | 2 Relays | 12/24 VDC |
| PD6262-7R3 | \$654 | 4-20 mA Output | 12/24 VDC |
| PD6262-7R4 | \$679 | 4 Relays | 12/24 VDC |
| PD6262-7R5 | \$699 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6262-7R7 | \$739 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6262-6H0 | \$629 | None | 85-265 VAC |
| PD6262-6H2 | \$674 | 2 Relays | 85-265 VAC |
| PD6262-6H3 | \$694 | 4-20 mA Output | 85-265 VAC |
| PD6262-6H4 | \$714 | 4 Relays | 85-265 VAC |
| PD6262-6H5 | \$734 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6262-6H7 | \$779 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6262-7H0 | \$694 | None | 12/24 VDC |
| PD6262-7H2 | \$734 | 2 Relays | 12/24 VDC |
| PD6262-7H3 | \$754 | 4-20 mA Output | 12/24 VDC |
| PD6262-7H4 | \$779 | 4 Relays | 12/24 VDC |
| PD6262-7H5 | \$799 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6262-7H7 | \$839 | 4 Relays & 4-20 mA Output | 12/24 VDC |

* Quick ship product, typically shipped within 2 business days.



PD6300

PROVu® Pulse Input Flow Rate/Totalizer
Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave



PD6310

PROVu® Pulse Input Batch Controller
Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6300-6R0* | \$329 | None | 85-265 VAC |
| PD6300-6R2* | \$374 | 2 Relays | 85-265 VAC |
| PD6300-6R3 | \$394 | 4-20 mA Output | 85-265 VAC |
| PD6300-6R4 | \$414 | 4 Relays | 85-265 VAC |
| PD6300-6R5 | \$434 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6300-6R7 | \$479 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6300-7R0 | \$394 | None | 12/24 VDC |
| PD6300-7R2 | \$434 | 2 Relays | 12/24 VDC |
| PD6300-7R3 | \$454 | 4-20 mA Output | 12/24 VDC |
| PD6300-7R4 | \$479 | 4 Relays | 12/24 VDC |
| PD6300-7R5 | \$499 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6300-7R7 | \$539 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6300-6H0* | \$429 | None | 85-265 VAC |
| PD6300-6H2* | \$474 | 2 Relays | 85-265 VAC |
| PD6300-6H3 | \$494 | 4-20 mA Output | 85-265 VAC |
| PD6300-6H4 | \$514 | 4 Relays | 85-265 VAC |
| PD6300-6H5 | \$534 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6300-6H7 | \$579 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6300-7H0 | \$494 | None | 12/24 VDC |
| PD6300-7H2 | \$534 | 2 Relays | 12/24 VDC |
| PD6300-7H3 | \$554 | 4-20 mA Output | 12/24 VDC |
| PD6300-7H4 | \$579 | 4 Relays | 12/24 VDC |
| PD6300-7H5 | \$599 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6300-7H7 | \$639 | 4 Relays & 4-20 mA Output | 12/24 VDC |

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD6310-6R2 | \$474 | 2 Relays | 85-265 VAC |
| PD6310-6R4 | \$514 | 4 Relays | 85-265 VAC |
| PD6310-6R5 | \$534 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6310-6R7 | \$579 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6310-7R2 | \$534 | 2 Relays | 12/24 VDC |
| PD6310-7R4 | \$579 | 4 Relays | 12/24 VDC |
| PD6310-7R5 | \$599 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6310-7R7 | \$639 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD6310-6H2 | \$574 | 2 Relays | 85-265 VAC |
| PD6310-6H4 | \$614 | 4 Relays | 85-265 VAC |
| PD6310-6H5 | \$634 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6310-6H7 | \$679 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6310-7H2 | \$634 | 2 Relays | 12/24 VDC |
| PD6310-7H4 | \$679 | 4 Relays | 12/24 VDC |
| PD6310-7H5 | \$699 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6310-7H7 | \$739 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD6363
 ProVu® Pulse Dual-Input Flow Rate/Totalizer
 Input: Dual Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave

Standard Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6363-6R0 | \$529 | None | 85-265 VAC |
| PD6363-6R2 | \$574 | 2 Relays | 85-265 VAC |
| PD6363-6R3 | \$594 | 4-20 mA Output | 85-265 VAC |
| PD6363-6R4 | \$614 | 4 Relays | 85-265 VAC |
| PD6363-6R5 | \$634 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6363-6R7 | \$679 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6363-7R0 | \$594 | None | 12/24 VDC |
| PD6363-7R2 | \$634 | 2 Relays | 12/24 VDC |
| PD6363-7R3 | \$654 | 4-20 mA Output | 12/24 VDC |
| PD6363-7R4 | \$679 | 4 Relays | 12/24 VDC |
| PD6363-7R5 | \$699 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6363-7R7 | \$739 | 4 Relays & 4-20 mA Output | 12/24 VDC |

SunBright Display Models

| Model | Price | Options Installed | Power |
|------------|-------|---------------------------|------------|
| PD6363-6H0 | \$629 | None | 85-265 VAC |
| PD6363-6H2 | \$674 | 2 Relays | 85-265 VAC |
| PD6363-6H3 | \$694 | 4-20 mA Output | 85-265 VAC |
| PD6363-6H4 | \$714 | 4 Relays | 85-265 VAC |
| PD6363-6H5 | \$734 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD6363-6H7 | \$779 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD6363-7H0 | \$694 | None | 12/24 VDC |
| PD6363-7H2 | \$734 | 2 Relays | 12/24 VDC |
| PD6363-7H3 | \$754 | 4-20 mA Output | 12/24 VDC |
| PD6363-7H4 | \$779 | 4 Relays | 12/24 VDC |
| PD6363-7H5 | \$799 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD6363-7H7 | \$839 | 4 Relays & 4-20 mA Output | 12/24 VDC |



PD6700
 VantageView Process Meter
 Display: 5-digit (99,999)
 Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-------------------|------------|
| PD6700-0K0 | \$399 | Backlight | Loop-power |



PD6701
 VantageView Feet & Inches Meter
 Display: Feet & Inches
 Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-----------------------------------|------------|
| PD6701-0K1 | \$474 | Backlight & Open Collector Output | Loop-power |



PD6720
 VantageView Analog Input Rate/Totalizer
 Display: 5-digit (99,999)
 Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-----------------------------------|------------|
| PD6720-0K1 | \$449 | Backlight & Open Collector Output | Loop-Power |



PD6770
 VantageView Process Meter
 Display: 3½ digits (1,999)
 Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-------------------|------------|
| PD6770-0K0 | \$299 | Backlight | Loop-Power |

* Quick ship product, typically shipped within 2 business days.



PD6730

VantageView Pulse Input Rate/Totalizer

Display: 5-digit (99,999)

Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave, opto-isolated inputs

| Standard Models | | | |
|---|-------|--|-------------------------|
| Model | Price | Options Installed | Power |
| PD6730-AP0-0 | \$399 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6730-APA-0 | \$439 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6730-BM0-0 | \$439 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6730-BMA-0 | \$539 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6730-BTA-0 | \$539 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6730-CTB-0 | \$439 | Backlight, 2 Pulse Outputs, and Loop Output | Output Loop |
| PD6730-DTB-0 | \$539 | Backlight, 2 Pulse Outputs, and Loop Output | Output Loop (& Battery) |
| 2-Wire RS-485 with Modbus Protocol Enabled | | | |
| Model | Price | Options Installed | Power |
| PD6730-AP0-M | \$478 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6730-APA-M | \$518 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6730-BM0-M | \$518 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6730-BMA-M | \$518 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6730-BTA-M | \$618 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
| Model | Price | Options Installed | Power |
| PD6730-AP0-I | \$528 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6730-APA-I | \$568 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6730-BM0-I | \$568 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6730-BMA-I | \$568 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6730-BTA-I | \$668 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |



PD6730X

VantageView Feet & Inches

Super Snooper Modbus® Input Scanner

Display: Feet & Inches

Input: RS-485 Modbus® RTU

| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
|---|-------|--|----------|
| Model | Price | Options Installed | Power |
| PD6730-AX0-I-L | \$803 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6730-AXA-I-L | \$903 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |



PD6730X

VantageView

Super Snooper Modbus® Input Scanner

Display: 5-digit (99,999)

Input: RS-485 Modbus® RTU, pulse

| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
|---|-------|--|----------|
| Model | Price | Options Installed | Power |
| PD6730-AX0-I-2 | \$728 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6730-AXA-I-2 | \$828 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |



PD6800

ProtEX-Pro Process Meter

Display: 5-digit (99,999)

Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-------------------|------------|
| PD6800-0K0 | \$799 | Backlight | Loop-power |



PD6801

ProtEX-F&I Feet & Inches Level Meter

Display: Feet & Inches

Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-----------------------------------|------------|
| PD6801-0K1 | \$899 | Backlight & Open Collector Output | Loop-power |



PD6820

ProtEX-RTA Analog Input Rate/Totalizer

Display: 5-digit (99,999)

Input: 4-20 mA

| Model | Price | Options Installed | Power |
|------------|-------|-----------------------------------|------------|
| PD6820-0K1 | \$859 | Backlight & Open Collector Output | Loop-Power |

The New PD6830

Pulse input explosion-proof flow rate/totalizer



Explosion-proof. Complete product approved.



What's New

- Automatic unit conversions
- On-board 1024 point data logging
- Added display capabilities
- -40°C operation
- RS-485 Modbus serial communications
- 13-digit total rollover
- Enhanced inputs
- 2 open collector outputs standard
- Longer battery life
- Customizable menu structure



PD6830

ProtEX-RTP Pulse Input Rate/Totalizer

Display: 5-digit (99,999)

Input: Pulse, open collector, NPN, PNP, TTL, switch contact, sine wave (coil), square wave, opto-isolated inputs

| Standard Models | | | |
|---|---------|--|-------------------------|
| Model | Price | Options Installed | Power |
| PD6830-AP0-0 | \$859 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6830-APA-0 | \$899 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6830-BM0-0 | \$899 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6830-BMA-0 | \$999 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6830-BTA-0 | \$999 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6830-CTB-0 | \$899 | Backlight, 2 Pulse Outputs, and Loop Output | Output Loop |
| PD6830-DTB-0 | \$999 | Backlight, 2 Pulse Outputs, and Loop Output | Output Loop (& Battery) |
| 2-Wire RS-485 with Modbus Protocol Enabled | | | |
| Model | Price | Options Installed | Power |
| PD6830-AP0-M | \$938 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6830-APA-M | \$978 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6830-BM0-M | \$978 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6830-BMA-M | \$1,078 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6830-BTA-M | \$1,078 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
| Model | Price | Options Installed | Power |
| PD6830-AP0-I | \$988 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6830-APA-I | \$1,028 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |
| PD6830-BM0-I | \$1,028 | Backlight and 2 Pulse Outputs | Battery (& 9-30 VDC) |
| PD6830-BMA-I | \$1,128 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |
| PD6830-BTA-I | \$1,128 | Loop Output Powered Backlight, 2 Pulse Outputs, and Isolated Loop Output | Battery (& 9-30 VDC) |



PD6830X

ProtEX-MFI Feet & Inches

Super Snooper Modbus® Input Scanner

Display: Feet & Inches

Input: RS-485 Modbus® RTU



PD6870

ProtEX-FarVu Process Meter

Display: 3½ digits (1,999)

Input: 4-20 mA

| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
|---|---------|--|----------|
| Model | Price | Options Installed | Power |
| PD6830-AX0-I-L | \$1,263 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6830-AXA-I-L | \$1,363 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |

| Model | Price | Options Installed | Power |
|------------|-------|-------------------|------------|
| PD6870-0L0 | \$629 | None | Loop-power |
| PD6870-0K0 | \$679 | Backlight | Loop-power |



PD6830X

ProtEX-MS2

Super Snooper Modbus® Input Scanner

Display: 5-digit (99,999)

Input: RS-485 Modbus® RTU, pulse

| Isolated 2-Wire RS-485 with Modbus Protocol Enabled | | | |
|---|---------|--|----------|
| Model | Price | Options Installed | Power |
| PD6830-AX0-I-2 | \$1,188 | Backlight and 2 Pulse Outputs | 9-30 VDC |
| PD6830-AXA-I-2 | \$1,288 | Backlight, 2 Pulse Outputs, and Isolated Loop Output | 9-30 VDC |



PD7000
ProVu® Temperature Meter
Input: TC & RTD; Modbus® PV (slave)

| Standard Models | | | |
|--------------------------|-------|---------------------------|------------|
| Model | Price | Options Installed | Power |
| PD7000-6R0 | \$299 | None | 85-265 VAC |
| PD7000-6R2 | \$344 | 2 Relays | 85-265 VAC |
| PD7000-6R3 | \$364 | 4-20 mA Output | 85-265 VAC |
| PD7000-6R4 | \$384 | 4 Relays | 85-265 VAC |
| PD7000-6R5 | \$404 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD7000-6R7 | \$444 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD7000-7R0 | \$364 | None | 12/24 VDC |
| PD7000-7R2 | \$404 | 2 Relays | 12/24 VDC |
| PD7000-7R3 | \$424 | 4-20 mA Output | 12/24 VDC |
| PD7000-7R4 | \$444 | 4 Relays | 12/24 VDC |
| PD7000-7R5 | \$464 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD7000-7R7 | \$509 | 4 Relays & 4-20 mA Output | 12/24 VDC |
| SunBright Display Models | | | |
| Model | Price | Options Installed | Power |
| PD7000-6H0 | \$399 | None | 85-265 VAC |
| PD7000-6H2 | \$444 | 2 Relays | 85-265 VAC |
| PD7000-6H3 | \$464 | 4-20 mA Output | 85-265 VAC |
| PD7000-6H4 | \$484 | 4 Relays | 85-265 VAC |
| PD7000-6H5 | \$504 | 2 Relays & 4-20 mA Output | 85-265 VAC |
| PD7000-6H7 | \$544 | 4 Relays & 4-20 mA Output | 85-265 VAC |
| PD7000-7H0 | \$464 | None | 12/24 VDC |
| PD7000-7H2 | \$504 | 2 Relays | 12/24 VDC |
| PD7000-7H3 | \$524 | 4-20 mA Output | 12/24 VDC |
| PD7000-7H4 | \$544 | 4 Relays | 12/24 VDC |
| PD7000-7H5 | \$564 | 2 Relays & 4-20 mA Output | 12/24 VDC |
| PD7000-7H7 | \$609 | 4 Relays & 4-20 mA Output | 12/24 VDC |

Calibrators



PD9500
Precision Calibrator

| Model | Price | Description | Power |
|------------|---------|----------------------|---------|
| PD9500-115 | \$4,499 | Precision Calibrator | 115 VAC |
| PD9500-230 | \$4,499 | Precision Calibrator | 230 VAC |

Enclosures



PDA2300 Series
Economical NEMA 4X Enclosures
Material: Thermoplastic Polyester
Meter Mount: Externally

| Horizontal Cutouts | | | | | | | | |
|--------------------|-------|-------------|--------|------|---|---|---|---|
| Model | Price | Description | Meters | Type | | | | |
| | | | | A | B | C | D | E |
| PDA2301 | \$124 | Plastic | 1 | | • | | | |
| PDA2302 | \$159 | Plastic | 2 | • | • | • | | • |
| PDA2303 | \$184 | Plastic | 3 | • | • | • | | • |
| PDA2303-1 | \$174 | Plastic | 1 | • | • | • | | • |
| PDA2303-2 | \$179 | Plastic | 2 | • | • | • | | • |
| PDA2304 | \$269 | Plastic | 4 | • | • | • | | • |
| PDA2305 | \$284 | Plastic | 5 | • | • | • | | • |
| PDA2306 | \$299 | Plastic | 6 | • | • | • | | • |
| PDA2307 | \$379 | Plastic | 7 | • | • | • | | • |
| PDA2308 | \$414 | Plastic | 8 | • | • | • | | • |
| PDA2309 | \$444 | Plastic | 9 | • | • | • | | • |
| PDA2310 | \$469 | Plastic | 10 | • | • | • | | • |
| PDA2312 | \$289 | Plastic | 2 | • | • | • | | • |
| Vertical Cutouts | | | | | | | | |
| Model | Price | Description | Meters | Type | | | | |
| | | | | A | B | C | D | E |
| PDA2301-V | \$139 | Plastic | 1 | | | | | • |
| PDA2302-V | \$174 | Plastic | 2 | | | | | • |
| PDA2303-V | \$264 | Plastic | 3 | | | | | • |
| PDA2304-V | \$284 | Plastic | 4 | | | | | • |
| PDA2305-V | \$299 | Plastic | 5 | | | | | • |
| PDA2306-V | \$314 | Plastic | 6 | | | | | • |
| PDA2322 | \$199 | Plastic | 2 | • | • | • | ☐ | • |

• Available ☐ 1 Required



PDA2400 Series
NEMA 4X Enclosures
Material: Plastic
Meter Mount: Internally

| Horizontal Cutouts | | | | | | | | |
|--------------------|-------|-------------|--------|------|---|---|---|---|
| Model | Price | Description | Meters | Type | | | | |
| | | | | A | B | C | D | E |
| PDA2407 | \$209 | Plastic | 1 | • | • | • | • | • |
| PDA2408 | \$219 | Plastic | 2 | | • | | | |
| PDA2409 | \$269 | Plastic | 3 | | • | | | |
| PDA2410 | \$324 | Plastic | 4 | | • | | | |
| PDA2411 | \$284 | Plastic | 2 | • | • | • | • | • |
| PDA2412 | \$314 | Plastic | 3 | • | | | | |
| PDA2414 | \$284 | Plastic | 2 | • | • | • | ☐ | • |
| PDA2415 | \$484 | Plastic | 4 | • | | | | |

• Available ☐ 1 Required




PDA2440 Series
Explosion-Proof Enclosures
Material: Cast-Aluminum
Meter Mount: Internally

| Model | Price | # of Holes | # of Meters | Type | | | | |
|--------------|---------|------------|-------------|------|---|---|---|---|
| | | | | A | B | C | D | E |
| PDA2444-XXXX | \$1,264 | 1 | 1 | • | • | • | • | • |
| PDA2444-XXXX | \$1,344 | 2 | 1 | • | • | • | • | • |
| PDA2444-XXXX | \$1,424 | 3 | 1 | • | • | • | • | • |
| PDA2444-XXXX | \$1,499 | 4 | 1 | • | • | • | • | • |
| PDA2445-XXXX | \$1,264 | 1 | 2 | • | | | | |
| PDA2445-XXXX | \$1,344 | 2 | 2 | • | | | | |
| PDA2445-XXXX | \$1,424 | 3 | 2 | • | | | | |
| PDA2445-XXXX | \$1,499 | 4 | 2 | • | | | | |
| PDA2446-XXXX | \$1,264 | 1 | 2 | • | • | • | • | |
| PDA2446-XXXX | \$1,344 | 2 | 2 | • | • | • | • | |
| PDA2446-XXXX | \$1,424 | 3 | 2 | • | • | • | • | |
| PDA2446-XXXX | \$1,499 | 4 | 2 | • | • | • | • | |

Note: Up to 4 conduit holes per side may be requested. See www.predig.com/esu for details.

PDA244 - L T R B



Meter Types

| Photo | Meter Types | | | | |
|--------|-------------|-------------------------|---|---|--|
| Type | A | B | C | D | E |
| Meters | PD690 | PD542 PD543 PD562 | PD603 PD644 PD683 PD684 PD688 PD689 PD743 PD765 PD865 | PD138 PD154 PD158 PD546 PD556 | PD6000 PD6060 PD6080 PD6081 PD6100 PD6200 PD6210 PD6262 PD6300 PD6310 PD6363 PD7000 |



PDA2500 Series
Rugged NEMA 4X Enclosures
Material: Thermoplastic Polyester
Meter Mount: Externally

| Horizontal Cutouts | | | | | | | | |
|--------------------|-------|-------------|--------|------|---|---|---|---|
| Model | Price | Description | Meters | Type | | | | |
| | | | | A | B | C | D | E |
| PDA2501 | \$164 | Plastic | 1 | • | • | | | |
| PDA2502 | \$209 | Plastic | 2 | • | • | | | |
| PDA2503 | \$234 | Plastic | 3 | • | • | | | |
| PDA2504 | \$349 | Plastic | 4 | • | • | • | | • |
| PDA2505 | \$369 | Plastic | 5 | • | • | • | | • |
| PDA2506 | \$389 | Plastic | 6 | • | • | • | | • |
| PDA2507 | \$494 | Plastic | 7 | • | • | • | | • |
| PDA2508 | \$534 | Plastic | 8 | • | • | • | | • |
| PDA2509 | \$574 | Plastic | 9 | • | • | • | | • |
| PDA2510 | \$604 | Plastic | 10 | • | • | • | | • |
| PDA2512 | \$374 | Plastic | 2 | • | • | • | | • |

| Vertical Cutouts | | | | | | | | |
|------------------|-------|-------------|--------|------|---|---|---|---|
| Model | Price | Description | Meters | Type | | | | |
| | | | | A | B | C | D | E |
| PDA2501-V | \$179 | Plastic | 1 | | | | | • |
| PDA2502-V | \$224 | Plastic | 2 | | | | | • |
| PDA2503-V | \$344 | Plastic | 3 | | | | | • |
| PDA2504-V | \$364 | Plastic | 4 | | | | | • |
| PDA2505-V | \$384 | Plastic | 5 | | | | | • |
| PDA2506-V | \$404 | Plastic | 6 | | | | | • |
| PDA2522 | \$359 | Plastic | 2 | • | • | | | ☐ |

| Nova Cutouts | | | | | |
|--------------|-------|-------------|--------|----------|------|
| Model | Price | Description | Meters | DIN Size | |
| | | | | 1/4 | 1/16 |
| PDA2501-4 | \$179 | Plastic | 1 | • | |
| PDA2501-16 | \$179 | Plastic | 1 | | • |

• Available ☐ 1 Required



PDA2600 Series
Stainless Steel NEMA 4X Enclosures
Material: Stainless Steel
Meter Mount: Externally

| Horizontal Cutouts | | | | | Type | | | | |
|--------------------|-------|-----------------|--------|---|------|---|---|---|--|
| Model | Price | Description | Meters | A | B | C | D | E | |
| PDA2601 | \$519 | Stainless Steel | 1 | | | • | | | |
| PDA2602 | \$619 | Stainless Steel | 2 | | | • | | | |
| PDA2603 | \$739 | Stainless Steel | 3 | | | • | | | |
| PDA2604 | \$859 | Stainless Steel | 4 | • | • | • | | • | |
| PDA2605 | \$919 | Stainless Steel | 5 | • | • | • | | • | |
| PDA2606 | \$979 | Stainless Steel | 6 | • | • | • | | • | |

| Vertical Cutouts | | | | | Type | | | | |
|------------------|-------|-----------------|--------|---|------|---|---|---|--|
| Model | Price | Description | Meters | A | B | C | D | E | |
| PDA2601-V | \$539 | Stainless Steel | 1 | | | | | • | |
| PDA2602-V | \$639 | Stainless Steel | 2 | | | | | • | |
| PDA2603-V | \$819 | Stainless Steel | 3 | | | | | • | |
| PDA2604-V | \$879 | Stainless Steel | 4 | | | | | • | |
| PDA2605-V | \$939 | Stainless Steel | 5 | | | | | • | |
| PDA2606-V | \$999 | Stainless Steel | 6 | | | | | • | |
| PDA2622 | \$589 | Stainless Steel | 2 | | | • | ☐ | | |

• Available ☐ 1 Required



PDA2700 Series
Steel NEMA 4 Enclosures
Material: Steel
Meter Mount: Externally

| Horizontal Cutouts | | | | | Type | | | | |
|--------------------|-------|-------------|--------|---|------|---|---|---|--|
| Model | Price | Description | Meters | A | B | C | D | E | |
| PDA2701 | \$239 | Steel | 1 | | | • | | | |
| PDA2702 | \$334 | Steel | 2 | | | • | | | |
| PDA2703 | \$394 | Steel | 3 | | | • | | | |
| PDA2704 | \$444 | Steel | 4 | • | • | • | | • | |
| PDA2704-1 | \$384 | Steel | 1 | • | • | • | | • | |
| PDA2704-2 | \$404 | Steel | 2 | • | • | • | | • | |
| PDA2704-3 | \$424 | Steel | 3 | • | • | • | | • | |
| PDA2705 | \$494 | Steel | 5 | • | • | • | | • | |
| PDA2706 | \$554 | Steel | 6 | • | • | • | | • | |
| PDA2713 | \$469 | Steel | 4 | • | | • | ☐ | • | |

| Vertical Cutouts | | | | | Type | | | | |
|------------------|-------|-------------|--------|---|------|---|---|---|--|
| Model | Price | Description | Meters | A | B | C | D | E | |
| PDA2701-V | \$259 | Steel | 1 | | | | | • | |
| PDA2702-V | \$354 | Steel | 2 | | | | | • | |
| PDA2703-V | \$414 | Steel | 3 | | | | | • | |
| PDA2704-V | \$464 | Steel | 4 | | | | | • | |
| PDA2705-V | \$514 | Steel | 5 | | | | | • | |
| PDA2706-V | \$574 | Steel | 6 | | | | | • | |
| PDA2722 | \$354 | Steel | 2 | | | • | ☐ | | |

• Available ☐ 1 Required



PDA2800 Series
Low-Cost NEMA 4X Enclosures
Material: Plastic
Meter Mount: Externally

| Horizontal Cutouts | | | | | Type | | | | |
|--------------------|-------|-------------|--------|---|------|---|---|---|--|
| Model | Price | Description | Meters | A | B | C | D | E | |
| PDA2801* | \$99 | Plastic | 1 | | | • | | | |
| PDA2811 | \$139 | Plastic | 1 | • | • | • | • | • | |
| PDA2812 | \$159 | Plastic | 2 | • | • | • | • | • | |
| PDA2821 | \$184 | Plastic | 2 | • | | • | ☐ | • | |

• Available ☐ 1 Required



Control Stations for Explosion-Proof Enclosures

| Model | Price | Description |
|-------------|---------|--------------------------------|
| PDA2451-A | \$644 | 1 Button: ACK |
| PDA2451-E | \$644 | 1 Button: ENTER |
| PDA2451-R | \$644 | 1 Button: RESET |
| PDA2452-EA | \$764 | 2 Button: ENTER & ACK |
| PDA2452-ER | \$764 | 2 Button: ENTER & RESET |
| PDA2452-SS | \$764 | 2 Button: START & STOP |
| PDA2453-EAR | \$1,189 | 3 Button: ENTER, ACK, & RESET |
| PDA2453-ESS | \$1,189 | 3 Button: ENTER, START, & STOP |

Sub-Panels for Enclosures



Sub-Panels for Enclosures

| Model | Price | Description |
|---------|-------|---|
| PDP2301 | \$18 | For PDA2301 |
| PDP2303 | \$22 | For PDA2302 - PDA2303 & PDA2322 |
| PDP2308 | \$38 | For PDA2304 - PDA2308 & PDA2312 |
| PDP2310 | \$55 | For PDA2309 & PDA2310 |
| PDP2503 | \$25 | For PDA2503 & PDA2703 |
| PDP2504 | \$25 | For PDA2504 - PDA2506 & PDA2704 - PDA2706 |
| PDP2508 | \$50 | For PDA2507 & PDA2508 |
| PDP2510 | \$75 | For PDA2509 & PDA2510 |
| PDP2603 | \$89 | For PDA2603 |
| PDP2604 | \$89 | For PDA2604 - PDA2606 |

* Quick ship product, typically shipped within 2 business days.

ProtEX Series Accessories



Accessories for PD663, PD6800, PD6820, PD6830, PD6830X and PD6870

Reducers, Adapters, & Plugs

| Model | Price | Description |
|-----------|-------|--------------------------------------|
| PDA0001 | \$25 | ¾" M-NPT to F-M20 Reducer |
| PDA0002 | \$25 | ¾" M-NPT to ½" F-NPT Reducer |
| PDA0003 | \$25 | ½" M-NPT to ¾" F-NPT Adapter |
| PDA8068 | \$82 | PD6830 USB Serial Adapter |
| PDAPLUG75 | \$20 | ¾" NPT Metal Conduit Plug for PD6830 |

Batteries for PD6830

| Model | Price | Description |
|-------------|-------|------------------------------|
| PDABAT36C** | \$45 | 3.6 V C-Cell Lithium Battery |
| PDABAT36D** | \$60 | 3.6 V D-Cell Lithium Battery |

** Dangerous goods shipping applies. Contact factory for details.

Pipe Mounting Kits

| Model | Price | Description |
|------------|-------|---|
| PDA6631 | \$10 | 1.5" U-Bolt Pipe Mounting Kit (PD663) |
| PDA6631-SS | \$20 | 1.5" U-Bolt Pipe Mounting Kit, Stainless Steel (PD663) |
| PDA6846 | \$10 | 2" U-Bolt Pipe Mounting Kit (PD68XX, PD8 requires 2) |
| PDA6846-SS | \$20 | 2" U-Bolt Pipe Mounting Kit, Stainless Steel (PD68XX, PD8 requires 2) |
| PDA6863 | \$50 | 2" Pipe Mounting Kit, 2 holes & 2 slots (PD663) |
| PDA6863-SS | \$99 | 2" Pipe Mounting Kit, 2 holes & 2 slots, Stainless Steel (PD663) |

Consolidator® Accessories



Consolidator® Accessories

Enclosures, Sub-Panels, Mounting Kits, Serial Communication Accessories

Enclosures

| Model | Price | Description |
|---------|-------|------------------------------------|
| PDA2901 | \$309 | Enclosure for PD941 or PD981 |
| PDA2904 | \$519 | Large Enclosure for PD941 or PD981 |

Sub-Panels

| Model | Price | Description |
|---------|-------|---|
| PDP2901 | \$189 | Sub-Panel with Terminal Strips for PDA2901 |
| PDP2902 | \$24 | Sub-Panel without Terminal Strips for PDA2901 |
| PDP2904 | \$239 | Sub-Panel with Terminal Strips for PDA2904 |
| PDP2905 | \$39 | Sub-Panel w/o Terminal Strips for PDA2904 |

Pipe Mounting Kits

| Model | Price | Description |
|---------|-------|----------------------------------|
| PDA6901 | \$103 | 2" Pipe Mounting Kit for PDA2901 |
| PDA6902 | \$103 | 2" Pipe Mounting Kit for PDA2904 |

Serial Communication Accessories

| Model | Price | Description |
|------------|-------|-------------------------------|
| PDA9232-01 | \$21 | Consolidator Null-Modem Cable |
| PDA9232-02 | \$16 | RS-232 Computer Cable |

Accessories for Panel Meters



Serial Communication Converters
Isolated and non-isolated converters

| Model | Price | Description |
|-----------|-------|---|
| PDA7485-I | \$179 | RS-232 to RS-422/485 Isolated Converter |
| PDA7485-N | \$144 | RS-232 to RS-422/485 Non-Isolated Converter |
| PDA8232-N | \$51 | USB to RS-232 Converter |
| PDA8485-I | \$196 | USB to RS-422/485 Isolated Converter |
| PDA8485-N | \$164 | USB to RS-422/485 Non-Isolated Converter |



ProVu® Series Accessories
Expansion Modules, Serial Communication Adapters, & Upgrade Cards

Expansion Modules

| Model | Price | Description |
|-----------|-------|---------------------------------------|
| PDA1002 | \$13 | DIN-Rail Mounting Kit for Two Modules |
| PDA1004 | \$83 | 4 Relays Expansion Module |
| PDA1011** | \$99 | Dual 4-20 mA Output Expansion Module |
| PDA1044 | \$36 | 4 Digital Inputs & 4 Outputs Module |

Serial Communications Adapters

| Model | Price | Description |
|---------|-------|-------------------------------------|
| PDA1200 | \$10 | ProVu® Meter Copy Cable, 3' (0.9 m) |
| PDA1232 | \$82 | ProVu® RS-232 Serial Adapter |
| PDA1485 | \$82 | ProVu® RS-485 Serial Adapter |
| PDA8008 | \$39 | ProVu® USB Serial Adapter |

Free Modbus® protocol on all ProVu® meters

Upgrade Cards

| Model | Price | Description |
|--------|-------|---------------------------|
| PD1102 | \$45 | 2 Relays |
| PD1103 | \$65 | 4-20 mA Output |
| PD1104 | \$85 | 4 Relays |
| PD1105 | \$105 | 2 Relays & 4-20 mA Output |
| PD1107 | \$145 | 4 Relays & 4-20 mA Output |

** Works with PD6060, PD6080, PD6081, PD6088, PD6089, PD6262, and PD6363 only.



Trident Accessories
Serial Communication Adapters
& Upgrade Cards

| Serial Communications Accessories | | |
|-----------------------------------|-------|--|
| Model | Price | Description |
| PDA7420 | \$10 | Trident Meter Copy Cable, 7' (2.1 m) |
| PDA7422 | \$82 | Trident RS- 485 Serial Adapter |
| PDA7232 | \$82 | Trident RS-232 Serial Adapter |
| PDA7488 | \$219 | Trident RS-232 & RS-485 Isolated Multi-Input Adapter Board |
| PDA8006 | \$39 | Trident USB Serial Adapter |

Free selectable Modbus® or Proprietary ASCII protocol on all Trident & Trident X2 meters.

| Upgrade Cards | | | |
|---------------|-------|------------------------------------|------------|
| Model | Price | Description | Power |
| PDX765-6X0-0 | \$50 | No Options | 85-265 VAC |
| PDX765-6X0-1 | \$90 | 24 VDC Supply | 85-265 VAC |
| PDX765-6X2-0 | \$110 | 2 Relays | 85-265 VAC |
| PDX765-6X2-1 | \$150 | 2 Relays + 24 VDC Supply | 85-265 VAC |
| PDX765-6X3-0† | \$190 | 4-20 mA Output | 85-265 VAC |
| PDX765-6X3-1† | \$230 | 4-20 mA Out + 24 VDC Supply | 85-265 VAC |
| PDX765-6X3-2† | \$290 | 4-20 mA Out + Dual 24 VDC Supplies | 85-265 VAC |
| PDX765-7X0-0 | \$50 | No Options | 12-36 VDC |
| PDX765-7X2-0 | \$110 | 2 Relays | 12-36 VDC |
| PDX765-7X3-0† | \$240 | 4-20 mA Output | 12-36 VDC |
| PDN-UPGLAB50 | \$50 | Factory Installation | N/A |


† 4-20 transmitter output option upgrades are NOT field-installable. Price for 4-20 transmitter output option includes factory installation labor fee (PDN-UPGLAB50)

Mounting Accessories



2" Pipe Mounting Kit

| Model | Price | Description |
|------------|-------|-------------------------------------|
| PDA6545 | \$103 | Zinc Plated Steel, 4 Mounting Holes |
| PDA6545-SS | \$209 | Stainless Steel, 4 Mounting Holes |
| PDA6845 | \$51 | Zinc Plated Steel, 2 Mounting Holes |
| PDA6845-SS | \$104 | Stainless Steel, 2 Mounting Holes |



Panel Mounting Kits

| Model | Price | Description |
|---------|-------|---|
| PDA6504 | \$103 | Use for Model PD650 |
| PDA6554 | \$61 | Use for Model PD655 |
| PDA6624 | \$51 | Use for Model PD662 |
| PDA6844 | \$51 | Use for Models PD675, PD685, PD686, & PD697 |

Additional Accessories



Additional Accessories

| Model | Price | Description |
|------------|-------|---|
| PDA1024-01 | \$82 | Power Supply 24 VDC DIN Rail |
| PDX6901 | \$10 | Snubber 0.01µF, 470Ω, Flexible Leads |
| PDA-CL | \$25 | Control Loop Resistor Network for PD138 |
| PDA-MAG | \$25 | Magnet Assembly for PD656, PD663 |
| PDX-RES1 | \$5 | 100 Ω Precision Resistor for Nova 4-20 mA Input |

Services

| Calibration Services | | |
|----------------------|-------|---|
| Model | Price | Description |
| PDN-CAL | \$50 | Calibration with Certificate |
| PDN-CALDATA | \$75 | Calibration with Certificate & Data |
| PDN-CERTCAL3 | \$179 | Digital Pressure Gauge Certificate of Recalibration (as shipped) |
| PDN-CERTCAL4 | \$359 | PD233 & PD243 Certificate of Recalibration (as received and as shipped) |
| PDN-CERTCAL5 | \$315 | PD253 Certificate of Recalibration |
| PDN-CERTCAL6 | \$225 | PD213, PD214, PD224 Certificate of Recalibration (as received and as shipped) |
| PDN-CERTCAL7 | \$475 | PD253 Certificate of Recalibration (as received and as shipped) |

Certificates of Conformance & Setup Services

| Model | Price | Description |
|--------------|-------|------------------------------------|
| PDN-CERTCON | \$25 | All Except Digital Pressure Gauges |
| PDN-CERTCON2 | \$25 | Digital Pressure Gauges |
| PDN-CSETUP | \$25 | Custom Setup |
| PDN-CSETUP2 | \$75 | Custom Setup (Consolidator) |

Repair Services

| Model | Price | Description |
|-----------------|-------|------------------------------------|
| PDN-NWARREPAIR1 | \$125 | Non-Warranty Repair LP: \$0-599 |
| PDN-NWARREPAIR2 | \$250 | Non-Warranty Repair LP: \$600-1299 |
| PDN-NWARREPAIR3 | \$450 | Non-Warranty Repair LP: \$1300+ |

LP: List Price

Expediting Services

| Model | Price | Description |
|---------------|-------|--|
| PDN-ONEDAYRTN | \$50 | One-Day Turnaround Service |
| PDN-SHEXP1 | \$50 | Ship Same Day, Order after 3:00 pm EST |
| PDN-SHEXP2 | \$75 | Ship Same Day, Order after 3:45 pm EST |

Printed Instruction Manuals

| Model | Price | Description |
|------------|-------|----------------------------|
| PDN-MANUAL | \$25 | Printed Instruction Manual |

Quick Shipment Program

The Precision Digital Quick Shipment Program (QSP) guarantees shipment within 2 working days for Precision Digital's most popular products. QSP products (9 pieces or less) will ship within 2 working days or we will ship the product at our expense. Qualifying orders received by 2:00 PM EST will ship the same day or the following day. Qualifying orders are those orders that are shipped within the United States of America and contain only QSP products.

| Model | Model | Model |
|--------------|--------------|--------------|
| PD154-6R2-1 | PD603-6R0-1 | PD765-6R0-00 |
| PD158-6R2-1 | PD6200-6R0 | PD765-6R0-10 |
| PD540-6RA-00 | PD6200-6R2 | PD765-6R2-00 |
| PD6000-6R0 | PD6200-6H0 | PD765-6R2-10 |
| PD6000-6R2 | PD6200-6H2 | PD765-6R3-00 |
| PD6000-6R3 | PD6300-6R0 | PD765-6R3-10 |
| PD6000-6R4 | PD6300-6R2 | PD765-6R3-20 |
| PD6000-6R5 | PD6300-6H0 | PD765-6R5-10 |
| PD6000-6R7 | PD6300-6H2 | PD765-7R0-00 |
| PD6000-6H0 | PD6310-6R4 | PD765-7R2-00 |
| PD6000-6H2 | PD6310-6R7 | PD765-7R3-00 |
| PD6000-6H3 | PD662-0L0-00 | PD765-7R5-00 |
| PD6000-6H4 | PD683-0K0 | PD765-6X0-00 |
| PD6000-6H5 | PD686 | PDA2801 |
| PD6000-6H7 | PD688-0K0 | |
| PD603-6R0-0 | PD743-6R0-0 | |

Standard Warranty

| Model or Series | Warranty (years) |
|-----------------|------------------|
| PD8 | 3 |
| PD138 | 3 |
| PD154-PD158 | 3 |
| PD205-PD253 | 1 |
| PD301-PD306 | 1 |
| PD310-PD312 | 1 |
| PD540 | 3 |
| PD550 | 3 |
| PD560 | 3 |
| PD570 | 3 |
| PD603 | 1 |
| PD644 | 3 |
| PD650 | 2 |
| PD655 | 2 |
| PD662 | 2 |
| PD663 | 3 |
| PD683-PD688 | 3 |
| PD684-PD689 | 3 |
| PD685 | 2 |
| PD686 | 2 |
| PD690 | 2 |
| PD698 | 2 |
| PD743 | 1 |
| PD765 | 3 |
| PD765 X2 | 3 |
| PD865 | 3 |
| PD940-PD981 | 1 |
| PD6000 | 3 |
| PD6060 | 3 |

| Model or Series | Warranty (years) |
|-----------------|------------------|
| PD6080 | 3 |
| PD6081 | 3 |
| PD6088 | 3 |
| PD6089 | 3 |
| PD6100 | 3 |
| PD6200 | 3 |
| PD6210 | 3 |
| PD6262 | 3 |
| PD6300 | 3 |
| PD6310 | 3 |
| PD6363 | 3 |
| PD6700 | 3 |
| PD6701 | 3 |
| PD6720 | 3 |
| PD6730 | 3 |
| PD6730X | 3 |
| PD6770 | 3 |
| PD6800 | 3 |
| PD6801 | 3 |
| PD6820 | 3 |
| PD6830 | 3 |
| PD6830X | 3 |
| PD6870 | 3 |
| PD7000 | 3 |
| PD9500 | 1 |
| PDS178 | 3 |
| Accessories | 1 |
| Fluidwell | 1 |

Restocking Policy

Precision Digital Corporation will accept products for return, but the products must be:

- Products must be on the current price list and be of current design.
- Products must be unused and in their original packaging.
- Products must be in salable condition as determined by Precision Digital.
- Products must be returned freight prepaid.
- Products must be standard stock items.

IMPORTANT NOTICE: The following products will not be accepted for return for any reason other than defective material. Precision Digital makes no representation with regard to the suitability for use of these products for any particular application. If more than one unit is needed, we suggest that you purchase one to make sure it works for your intended use as all sales are final.

- Fluidwell products
- Digital pressure gauges
- Enclosures
- Custom or specialty modified products

Other Precision Digital products returned for reasons other than repair are subject to a restocking fee.

Restocking Fee for Calibrators

- For order quantity of (1) unit, a minimum restocking fee of 50% applies.
- For order quantity of (2) or more, no cancellation or returns allowed.

Restocking Fee for All Other Products

- The minimum restocking fee is \$35 per unit.
- The amount of credit allowed for returned unused product will depend upon its age.
- A credit of 80% will be issued for product up to 60 days old.
- A credit of 50% will be issued for product up to 180 days old.
- No credit will be issued for product older than 180 days.

Product Returns

In order to ensure the best service, Precision Digital Corporation products being returned for service or credit must be pre-approved by Technical Support. Please contact Precision Digital Technical Support at (508) 655-7300 or email at support@predig.com prior to any product return. If appropriate, a Return Material Authorization (RMA) number will be issued. All authorized returns are to be shipped freight prepaid. If it is determined that a product warranty action is appropriate (note: many start-up problems are the result of incorrect signal connections and/or programming errors), Precision Digital Corporation will repair or replace the instrument at no charge and return it via UPS ground. Other shipping options are available upon request for an additional charge.

Ship authorized product returns to:

89 OCTOBER HILL RD STE 5 • HOLLISTON MA 01746-1378

Please be sure to include the RMA number on the outside of the returned product package.

Please note: In applications where instruments have been exposed to hazardous materials:

- OSHA mandates that our employees be informed and protected from hazardous materials.
- Materials Safety Data Sheets (MSDS) listing the hazardous materials, to which the instrument have been exposed, must accompany any returned product.
- It is the customer's/end-user's responsibility to fully disclose exposure to all hazardous materials and decontaminate the instrument prior to return.

Order Policy

- Once acknowledged, orders are non-cancellable for the following products: Enclosures, digital pressure gauges, and non-standard, custom, or specially modified products.
- Orders in transit are non-cancellable.

premier products



premier products video
www.predig.com/premier



LMDPLC_Q 08/13

PRECISION DIGITAL CORPORATION
89 October Hill Rd • Holliston MA 01746 USA • Tel (800) 343-1001 • Fax (508) 655-8990

PRECISION DIGITAL
www.predig.com